









## **Product Information Sheet**

Remedy Moisturize			
Classification	Skin Care: Moisturizer – Basic		
British Columbia Practice	<ul> <li>The British Columbia Perinatal Services and the British Columbia Provincial Nursing Skin &amp; Wound Committee have determined Remedy Moisturize may be used as a treatment for very dry/cracked skin for neonates in:         <ul> <li>NICUs with a corrected gestational age greater than 31 weeks + 6 days.</li> <li>Maternity/pediatric units who are less than 28 days in age.</li> </ul> </li> </ul>		
Key Points	<ul> <li>Remedy Clinical Moisturize Skin Cream is a hand and body moisturizer containing natural humectants and emollients.</li> <li>To be used for intact skin.</li> <li>Fragrance-free, tear-free, hypoallergenic, paraben-free, sulfate-free.</li> <li>Can be used in combination with Chlorhexidine Gluconate (CHG) products, (e.g., cleansingwipe).</li> <li>Does not interfere with the integrity of latex, nitrile, and vinyl gloves.</li> </ul>		
Indications	<ul> <li>As a moisturizer for face, hands, body and feet for patients/clients/residents, adult and children.</li> <li>As a treatment for very dry/cracked skin for neonates (see above practice statement).</li> </ul>		
Precautions	<ul> <li>Do not apply directly onto open/broken skin.</li> <li>When applied to the feet, ensure the moisturizer is not applied between the toes and, following the application, that the client wears socks and shoes to prevent a fall.</li> </ul>		
Contraindications	<ul> <li>Do not use for clients with known sensitivity or allergy to ingredients.</li> <li>Do not use for the prevention of Incontinence Associated Dermatitis.</li> </ul>		
Formats & Sizes	<ul> <li>Tube &amp; bottle</li> <li>59 mL tube</li> <li>118 mL tube</li> <li>946 mL bottle</li> </ul>		

Directions	Rationale / Key Points
Selection	
Select the size of container appropriate to the client situation,	The container is single-patient use only; once opened,
(e.g., for short stay consider the 118 mL sized tube).	the container is good for three years.
Label the container with date and the client's name.	
Preparation	
Cleanse skin (if required) and pat dry.	
Application	
Apply a <u>thin</u> layer of Remedy Moisturize and gently smooth	
into the skin (face, hands, body and feet) until the moisturizer	
is absorbed. Do not apply between the toes.	
Best applied to dampened skin after bath or shower.	
Socks and shoes are to be worn following application to the	
feet.	
Frequency of Application	
Daily to promote good skin health.	
Twice a day for arms and legs to prevent skin tears.	
Twice a day for treatment of dry/cracked skin.	

Created by the British Columbia Provincial Professional Practice Stream - Wound Ostomy Continence



## **Product Information Sheet**

Directions	Rationale / Key Points		
Expected Outcomes			
Skin is well-moisturized, healthy and intact.	If product does not perform as expected, notify		
Product performs as expected.	NSWOC/Wound Clinician and then consider submitting a <u>Supply Chain Product Concern Form</u> .		
For further information please contact NSWOC/Wound Clinician			