

**Provincial Professional Practice Stream Wound Ostomy Continence
Document Update Notification of New, Revised, Deleted – Master**

Feb 21, 2023	Assessment Form	Frostbite Injury Assessment Form	Revised: document now supports up to six assessments.
Feb 21, 2023	Decision Support Tool	Frostbite Injury: Quick Reference Guide	Revised: as per guideline
Feb 21, 2023	Decision Support Tool	Frostbite Injury: Guideline	Revised: last of the Provincial Partners Review feedback incorporated.
Feb 21, 2023	Product Information Sheet	Tubigrip (Lower Leg Application) Sizing Chart	New: poster of the Tubigrip sizing chart.
Feb 21, 2023	Product Information Sheet	Tubigrip (Lower Leg Application)	Revised: sizing chart revised to only display measurements in centimeter. Moved statement re PISheet not discussing application for sprains, post-burn compression to the top of the Key Point section (was in the Indications section previously).
Jan 28, 2023	Product Information Sheet	ABENA Pants	Revision: product renamed from Abri-Flex; hip measurements are to be used to determine size of the pants (not waist and hip). PISheet now shows measurements only in centimeters.
Jan 28, 2023	Product Information Sheet	ABENA San	Revision: product renamed from Abri-San Protective Pad; small adjustments made to the length and width of the pads. PISheet now shows measurements only in centimeters.
Jan 18, 2023	Product Information Sheet	TotalCare Bariatric Plus Therapy System	New document.
Jan 18, 2023	Decision Support Tool - Guideline	Hypergranulation Tissue: Guideline	Revised: in the DST Indications for Use section, the term 'Vascular Access Device' changed to 'Ventricular Assisted Device'.
Jan 13, 2023	Product Information Sheet	Jelonet	Updated: 10cm x 7m dressing & 10 x 10cm tray discontinued.
Jan 11, 2023	Product Information Sheet	Therapulse ATP	New document.
Dec 31, 2022	Product Information Sheet	Aquacel AG+Extra	Revised: wording added to advise not to cut the ribbon width-wise as it may lose its tensile strength.
Dec 31, 2022	Product Information Sheet	Aquacel Extra	
Dec 20, 2022	Product Information Sheet	Tegaderm Hydrocolloid	Removed: product discontinued
Dec 20, 2022	Product Information Sheet	Tegaderm Hydrocolloid Thin	Removed: product discontinued
Dec 20, 2022	Product Information Sheet	Cutimed Debriclean	New document.
Dec 20, 2022	Product Information Sheet	Debrisoft Lolly	Updated as product now back on the market; directions for the use are for the Lolly stick only.
Dec 20, 2022	Product Information Sheet	ROHO Dry Floatation Mattress Overlay	New document.

Dec 12, 2022	Product Information Sheet	Aloe Vesta Protective Ointment for Frostbite Treatment	New document.
Dec 12, 2022	Assessment Form	Frostbite Injury Assessment Form	Revised: re-formatted into stand-alone document.
Dec 12, 2022	Decision Support Tool	Frostbite Injury: Quick Reference Guide	Revised: QRG revised as per new guideline.
Dec 12, 2022	Decision Support Tool	Frostbite Injury: Guideline	New document.
Dec 12, 2022	Product Information Sheet	DERMABOND PRINEO System (Care & Removal)	New document.
Dec 06, 2022	Product Information Sheet	Mepilex Border Sacrum & Heel	New document for sacral and heel bordered dressings as wound dressings. The PIP use of these dressings is captured on the Mepilex Dressings for PIP PISheet.
Dec 06, 2022	Product Information Sheet	UrgoStart Plus Pad	New document.
Nov 22, 2022	Product Information Sheet	Endoform Natural & Antimicrobial Restorative Bioscaffold	Revised: • Vendor has changed the name of the product from 'template' to restorative bioscaffold' • Short application video added.
Nov 08, 2022	Decision Support Tool	High Voltage Pulse Current Wound Therapy: Guideline/Procedure	Updated: Fastil, the silver dressing used for the conduction of the HVPC, is no longer being manufactured. There is no substitution for the dressing; need to Normal Saline and Hydrogel to provide the conductivity needed for the therapy.
Nov 05, 2022	Clinical Resource	BC Ostomy Suppliers – Vancouver Island	Updated: added 7 Generation Medical as a specific First Nations ostomy supplier to each of the geographical suppliers lists.
Nov 05, 2022	Clinical Resource	BC Ostomy Suppliers – Northern BC	
Nov 05, 2022	Clinical Resource	BC Ostomy Suppliers – Lower Mainland/ Sunshine Coast	
Nov 05, 2022	Clinical Resource	BC Ostomy Suppliers – Interior BC	
Nov 05, 2022	Clinical Resource	BC Ostomy Suppliers – Benefits and Supplier Info	
Oct 27, 2022	Product Information Sheet	Auralis 200 & Auralis Plus	New document.
Oct 23, 2022	Product Information Sheet	Hydrofera Blue Ready	Updated: added 2 new formats; Hydrofera Blue Ready-Border & Hydrofera Blue Ready-Transfer.
Sep 30, 2022	Decision Support Tool	Veraflo NPWT Dressing Application: Procedure	Revised with the steps for the new Smart Instill feature.
Sep 24, 2022	Product Information Sheet	Marathon	Updated: added Marathon XL for areas greater than 20x25cm.
Sep 15, 2022	NSWOCC Patient Resource	A Guide to Living with a Colostomy	New NSWOCC documents.

Sep 15, 2022	NSWOCC Patient Resource	A Guide to Living with a Ileal Conduit (Urostomy)	
Sep 15, 2022	NSWOCC Patient Resource	A Guide to Living with an Ileostomy	
Sep 13, 2022	Clinician Resource	Ostomy Assessment Terms & Definitions	New document.
Sep 13, 2022	Documentation Guide	Long Term Care Established Ostomy: Documentation Guide	New documents.
Sep 13, 2022	Assessment Form	Long Term Care Established Ostomy Assessment Flow Sheet	
Sep 13, 2022	Assessment Form	Long Term Care Established Ostomy Baseline Assessment & Management Plan	
Sep 13, 2022	Documentation Guide	Community Established Ostomy: Documentation Guide	New documents
Sep 13, 2022	Assessment Form	Community Established Ostomy Assessment Flow Sheet	
Sep 13, 2022	Assessment Form	Community Established Ostomy Baseline Assessment & Management Plan	
Sep 13, 2022	Documentation Guide	Acute Care Established Ostomy: Documentation Guide	New documents
Sep 13, 2022	Assessment Form	Acute Care Established Ostomy Assessment Flow Sheet & Management Plan	
Sep 12, 2022	Documentation Guide	Post-Op Ostomy: Documentation Guide	New documents.
Sep 12, 2022	Assessment Form	Post-Op Ostomy Teaching Record	
Sep 12, 2022	Assessment Form	Post-Op Ostomy Management Plan	
Sep 12, 2022	Assessment Form	Post-Op Ostomy Assessment Flow Sheet	
Sep 11, 20229	Clinical Resource	BC Ostomy Suppliers – Vancouver Island	Revised/Update: new format with separate list for each geographical area within BC. Suppliers' information updated as needed.
Sep 11, 20229	Clinical Resource	BC Ostomy Suppliers – Northern BC	
Sep 11, 20229	Clinical Resource	BC Ostomy Suppliers – Lower Mainland/ Sunshine Coast	
Sep 11, 20229	Clinical Resource	BC Ostomy Suppliers – Interior BC	
Sep 11, 20229	Clinical Resource	BC Ostomy Suppliers – Benefits and Supplier Info	

Sep 08, 2022	Product Information Sheet	Tubigrip (Lower Limb Application)	Update: new easier-to-read sizing table and examples of how to choose a size for the compression needed.
Sep 05, 2022	Product Information Sheet	Anasept Skin & Wound Cleanser	Updated: added frostbite injuries as one of the indications for use.
Sep 05, 2022	Product Information Sheet	Vashe Wound Solution	Updated: added frostbite injuries as one of the indications for use.
Aug 25, 2022	Product Information Sheet	Endoform Dermal Template	Updated with video. Revised Application section: - Trim dry Endoform to fit the wound and be in contact with the wound edges or fold edges of excess Endoform into the wound once it is hydrated. Endoform can be cut into strips or small pieces, or rolled into a tight tube for irregular wound beds, undermining / sinuses / tunnels. Revised Re-application section: - If poorly adhered Endoform is present 7 days after application, remove it, gently irrigate, debride as appropriate, and re-apply Endoform. - If residual Endoform is brown and crusty, do not remove and rehydrate with thin layer of Hydrogel. - If Endoform (Antimicrobial or Natural) has overlapped onto the periwound area, gently fold back into the wound.
Aug 12, 2022	Product Information Sheet	TheraKair Visio	New document.
Jul 12, 2022	Product information Sheet	Oasis Maceratable Wipes	New document
Jun 03, 2022	Product Information Sheet	ReadyBath Cap	New document.
May 25, 2022	Product Information Sheet	Essential Bath Cleansing Washcloths	New document.
May 25, 2022	Product Information Sheet	Deodorant Clean-Up Washcloths	New document.
May 25, 2022	Product Information Sheet	Comfort Shield Barrier Cream Cloths	New document.
May 25, 2022	Product Information Sheet	CHG Antiseptic Body Cleanser Cloths	New document.
May 25, 2022	Decision Support Tool - QRG	Hypergranulation Tissue: QRG	New document.
May 25, 2022	Decision Support Tool - Guideline	Hypergranulation Tissue: Guideline	New document.
May 25, 2022	Product Information Sheet	Silver Nitrate	Revised: changes made to bring the PISheet into line with the Hypegranulation Tissue Guideline.
May 25, 2022	Product Information Sheet	Mesalt	Revised: Added a statement re dressing being able to spiral cut if needed. Also added in a section on how to use Mesalt as a treatment for Hypergranulation Tissue.

May 25, 2022	Product Information Sheet	Tubigrip (Lower Limb Application)	Updated: New size 'A' as well as a revised scale for Sizes B – J. Sizing chart provides the range of mmHg for each of the sizes when double layered; 5-15mmHg, 10-20mmHg, 20-30mm/Hg.
May 20, 2022	Product Information Sheet	Tegaderm Absorbent Clear Acrylic	Update: new packaging.
May 20, 2022	Product Information Sheet	Prisma	Revised: added source of collagen (bovine) and source of ORC (plant based.)
May 20, 2022	Product Information Sheet	Promogran	Revised: added source of collagen (bovine) and source of ORC (plant based.)
May 20, 2022	Product Information Sheet	Povidone Iodine 10% for Wound Care	Updated: now indicates a 3-month shelf life for an open bottle.
May 14, 2022	Product Information Sheet	TheraHoney Sheet	New document.
May 14, 2022	Product Information Sheet	Medigrip LF (Lower Leg Application)	New document.
May 06, 2022	Clinician Resource	Yukon Ostomy Suppliers List	New document.
Mar 30, 2022	Decision Support Tool - Procedure	VACulta4 Veraflo NPWT Dressing Application	Revised: Solution cassette to be changed every 11,125ml of solution or every 7 days, whichever comes first.
Mar 30, 2022	Decision Support Tool - Procedure	Prevena Customizable NPWT Dressing Application	Revised: removed mention of a separate connector as connector no longer being provided in the kit; vendor changed the dressing tubing connector to be adaptable with VACulta4 and ActiVAC.
Mar 30, 2022	Decision Support Tool - Procedure	Prevena Peel n Place NPWT Dressing Application	Updated: vendor has change the dressing tubing connector to be adaptable with VACulta4 and ActiVAC; separate connector no longer required.
Mar 30, 2022	Product Information Sheet	Ultrisorb Underpad	Removed: this pad was been replaced with the Ultrisorb Advanced+300 pad in November; all sites should now be seeing the Advanced+300 version on their units.
Mar 30, 2022	Decision Support Tool - Procedure	VACulta4 & ActiVAC NPWT Dressing Application	Revised: clarified that white foam is to be used as an interface layer only for painful wound (as stated in the guideline).
Mar 30, 2022	Decision Support Tool – Quick Reference Guide	Wound Care for Frostbite Injury	New document.
Mar 30, 2022	Decision Support Tool - Procedure	Monofilament Testing for Loss to Protective Sensation	Revision: updated the 2014 document.
Mar 30, 2022	Education Requirements/ Competency	Monofilament Testing for Loss to Protective Sensation	New document.
Mar 30, 2022	eLearning Module	Monofilament Testing for LOPS	New module.
Mar 30, 2022	Product Information Sheet	Mepilex Border	Removed.
Mar 30, 2022	Product Information Sheet	Mepilex Border Flex	New document.

Mar 24, 2022	Product Information Sheet	IoPlex	New document.
Mar 24, 2022	Product Information Sheet	First Step All In One	New document.
Feb 28, 2022	Client Health Education Resource	Cleaning the Urine Drainage Bottle Factsheet	Revised: added statement that if using the manufacturer's cleanser to follow their instruction sheet for use.
Feb 28 th , 2022	Quick Reference Guide	Cleaning the Urine Drainage Bottle	
Feb 09, 2022	Product Information Sheet	Biatain	Revised: Coloplast has now changed their IFU to indicate all Biatain dressings including the non-adhesive can be leave in place when the client goes for radiation investigations or treatments; this precaution has been removed from the PISheet.
Feb 03, 2022	NSWOC Resource	Disability Tax Credit	Updated: new patient brochure to guide in completing the new DTC form.
Dec 03, 2021	Product Information Sheet	PHMB Gauze for Wounds	Revised: added statement that PHMB gauze sponges, rolls and packing ribbon are not radiopaque. Removed all non-woven sizes as these sponges are no longer being manufactured.
Dec 03, 2021	Product Information Sheet	Endoform Dermal Template	Revised: added a 2.36 minute video of how to apply the Endoform dressing.
Nov 22, 2021	Product Information Sheet	Biatain	Revised: added rationale for why Biatain Adhesive dressing cannot be used with radiation treatments; the vendor has not tested the product in this type of setting.
Nov 22, 2021	Product Information Sheet	Ultrisorbs Advanced + Underpad	New document: vendor rebranded their previously named 'Ultrisorbs', as well as, added repositioning instructions which BC OH&S states are not to be followed.
Nov 20, 2021	Client Health Education Resource	Cleaning the Urine Drainage Bottle Factsheet	New document.
Nov 11, 2021	Clinician Resource	How to complete the CRA Disability Tax Credit form	Removed: CRA now has a revised form.
Oct 25, 2021	Client Health Education Resource	Cleaning the Secondary Urine Drainage Bag Factsheet	Revised: new image.
Oct 25, 2021	Product Information Sheet	Inadine	Revised: added back into the document to use only one layer of Inadine to minimize periwound maceration.
Oct 25, 2021	Product Information Sheet	Ventopedic Boot w Butterfly Lift	Revised: added a precaution when using the boot for clients with arterial and/or venous insufficiency due to risk of pressure injury.
Oct 14, 2021	Quick Reference Guide	Cleaning the Urine Drainage Bottle	New document.
Oct 14, 2021	Quick Reference Guide	Cleaning the Secondary Urine Drainage Bag	Revised with new image of the overnight 2L drainage system.

Oct 14, 2021	Decision Support Tool Procedure	Cleansing Secondary Urine Collection Devices (Bags / Bottles)	Revised: added new image shows both overnight drainage systems; the 2L bag and the bottle.
Oct 04, 2021	Product Information Sheet	Biatain	New document.
Sep 29, 2021	Product Information Sheet	PHMB Gauze for Wounds	Revised: added direction to not cut packing strips into smaller widths (e.g., ½ in width into a ¼ in width) as strip frays when cut.
Sep 20, 2021	Decision Support Tool Guideline	Negative Pressure Wound Therapy (Reusable / Disposable) for Adults & Children	Revised: Appendix A Summary Table - Form & Function NWPT Reusable and Disposable Devices to include the new Prevena Plus 125. Revised: information added regarding a new product, Dermatac, a silicone-acrylic transparent film drape which can be used for clients with sensitivity to the polyurethane film drape or for situations where repositioning of the drape would be helpful to obtain a good seal e.g., coccyx area. Revised: added Special Considerations: Dressing Change Frequency section to lay out when open wound, closed incision and skin graft dressings need to be changed.
Sep 15, 2021	Product Information Sheet	Povidone Iodine for Wound Care	Revised: Precautions section of each PISheet revised, based upon current literature, regarding concerns with the use of iodine-based products and medical conditions. Guidance provided for the nurse to inform Physician/NP when clients with identified concerns have iodine-based products used for their wound care.
Sep 15, 2021	Product Information Sheet	Iodosorb	
Sep 15, 2021	Product Information Sheet	Iodoform Packing	
Sep 15, 2021	Product Information Sheet	Inadine	
Sep 08, 2021	Client Health Education Resources (CHER)	Prevena Plus 125 Community Health Nurse	New document.
Sep 08, 2021	Client Health Education Resources (CHER)	Prevena Plus 125 Patient Self Care	New document.
Sep 02, 2021	Client Health Education Resources (CHER)	geko wound therapy	New document.
Sep 02, 2021	Product Information Sheet	geko wound therapy	Revised: adhesive strip formulation has changed, now more skin-friendly therefore no need to push the skin away from strip as strip is being pulled off, just need to gently remove it.
Aug 31, 2021	Product Information Sheet	Acticoat Flex for Wounds	Revised: specified that Acticoat Flex 3 should be used for NPWT given that the dressing change frequency should be at least 3 times/week.
Aug 31, 2021	Decision Support Tool Procedure	PICO7/PICO14 NPWT Dressing Application	Revised: emphasized in the title of the procedure table that wounds with fillers should to be changed 2-3 times/week.

Aug 29, 2021	Decision Support Tool Procedure	VACulta4 and ActiVAC NPWT Dressing Application	Revised: information added regarding how to use Dermatac, a new silicone-acrylic transparent film drape product.
Aug 29, 2021	Product Information Sheet	Vashe Wound Solution	Revised: information added regarding that in the presence of blood, the exudate may change colour to green due to the reaction between the Hypochlorous Acid and hemoglobin.
Aug 22, 2021	Product Information Sheet	PluroGel Burn and Wound Dressing	New document.
Aug 22, 2021	Product Information Sheet	Drawtex	New document.
July 29, 2021	Product Information Sheet	Tru-Contracture Boot	Removed: boot is no longer being manufactured.
July 29, 2021	Product Information Sheet	Tenderwet	Removed: dressing is no longer being manufactured.
July 29, 2021	Clinician Resource	BC Health Authority Continence Clinics	New document.
July 29, 2021	Client Health Education Resources (CHER)	Cleaning the Secondary Urine Drainage Bag Factsheet	New document.
July 29, 2021	Decision Support Tool – Quick Reference Guide(QRG)	Cleaning the Secondary Urine Drainage Bag	New document.
July 29, 2021	Decision Support Tool Procedure	Cleansing Secondary Urine Collection Devices (Bags/ Bottles)	New document.
Jun 21, 2021	Decision Support Tool Procedure	Prevena Customizable NPWT Dressing Application	Revised: 3M/KCI has upgraded the Prevena 125 machine (45 ml canister & TRAC pad) to Prevena Plus 125 (150ml canister & SensaT. R. A. C. pad).
Jun 13, 2021	Client Record	Client Record – geko wound therapy device	New document. A 2-page record sheet, for clients to use for tracking their geko therapy time.
Jun 13, 2021	Client Health Education Resource	geko wound therapy device	New document. This draft document is a placeholder while the VCH PHEM team completes the final version.
Jun 13, 2021	Product Information Sheet	geko wound therapy device	New document. Note; the manufacturer does not use capital letters in the device name.
Jun 10, 2021	CNE Education Resource	Remedy Shampoo & Body Wash - Education Poster	New document. Document to support product implementation.
Jun 10, 2021	CNE Education Resource	Remedy Shampoo & Body Wash - Education Resource	New document to support product implementation.
Jun 03, 2021	Quick Reference Guide	Adult Skin Care Protocol	Revised: replacing Gentle Rain with Remedy Shampoo & Body Wash.
Jun 03, 2021	Product Information Sheet	Remedy Shampoo & Body Wash	New document.
May 27, 2021	Decision Support Tool Guideline	Pressure Mapping Assessment	New document.

May 13, 2021	Product Information Sheet	Cavilon Advanced Skin Protectant	Updated: added the 0.7ml applicator
May 07, 2021	Product Information Sheet	Biatian Silicone Ag	Revised: added surgical dressing sizes.
May 04, 2021	NSWOC Resource	CRA DTC Application Form- How to Complete	New document: Ostomy
April 28, 2021	LTC Resource	Recommended LTC S&W Products	Revised: yearly review of product list done by LTC NSWOCs with small changes made.
Mar 25, 2021	Product Information Sheet	Iodosorb	Revised: removed the precaution of the use of Iodosorb in conjunction with the administration of Sulphafurazoles (antibiotic) and Sulphonylureas (antidiabetic agents) as S&N states that this is not the case. Revised: S&N now states the use of Iodosorb, any format, is a precaution for clients with renal impairment (prior statement re: contraindication was an error).
Mar 24, 2021	Product Information Sheet	Prevena	Removed: Procedure for Prevena now in the Clinical Decision Support Tools Folder.
Mar 24, 2021	Product Information Sheet	PICO	Removed: Procedure for PICO now in the Clinical Decision Support Tools Folder.
Mar 24, 2021	Product Information Sheet	Povidone Iodine for Wound Care	Revised: bolded the 'dry eschar' wording to clarify that the solution is indicated for this type of wound.
Mar 24, 2021	Product Information Sheet	Tegaderm Absorbent Clear Acrylic	Revised: removed sacral shaped sizes and added two rectangle shaped (incisional) dressings.
Mar 14, 2021	Learning Module	Wound Dressing Selection	New module.
Mar 12, 2021	Product Information Sheet	Iodosorb	Updated: new powder format added along with how to apply. Revised: added precaution of the use of Iodosorb in conjunction with the administration of Sulphafurazoles (antibiotic) and Sulphonylureas (antidiabetic agents). Revised: S&N now states the use of Iodosorb, in any format, for clients with renal failure is a <u>contraindication</u> (no longer a precaution).
Mar 12, 2021	Decision Support Tool Guideline	Wound Dressing Selection for Adults & Children	Revised: added two small sections to the document in order to align with the elearning module: - Added an assessment of the old dressing - Added to review with each dressing change all of the possible interventions to ensure the care plan is current for the needs of the wound.
Mar 12, 2021	Quick Reference Guide	Wound Dressing Selection for Adults and Children	Revised: document to be also used for children; title revised.

Mar 12, 2021	Product Information Sheet	Endoform Dermal Template – Natural & Antimicrobial	New document.
Mar 11, 2021	Product Information Sheet	Anasept Skin & Wound Cleanser	Revised: added that solution needs to be kept between 0°-40°.
Mar 11, 2021	Product Information Sheet	Vashe Wound Solution	Revised: added that solution needs to be kept between 0°-50°.
Mar 11, 2021	Quick Reference Guide	Prevail Tabbed Brief Sizing & Product Guide	Revised: clarified that day and night briefs are the Prevail Air; added product codes for all the Prevail briefs.
Mar 11, 2021	Product Information Sheet	Prevail Tabbed Brief	Revised: changed Breezers360 Day brief to the upgraded Air Plus Day, no change to colour, size or application. New brief more breathable and stretchable.
Feb 24, 2021	Wound Clinic Referral Form	VCH Vancouver Hospital Complex Wound Clinic Referral Form	New document.
Feb 24, 2021	Product Information Sheet	ProSkin Belted Brief	New document.
Feb 22, 2021	Product Information Sheet	Silver Nitrate	Revised: added contraindication for use on HG tissue around ECFs, on exposed bowel and burns/frostbite.
Feb 15, 2021	Product Information Sheet	HeelZup w Thigh Support	Revised: device is to wiped down/air dry. Added clarification that the device is not to be hand washed or laundered.
Feb 15, 2021	Product Information Sheet	HeelZup Supreme	
Feb 15, 2021	Product Information Sheet	HeelZup Cloud	
Feb 15, 2021	Product Information Sheet	HeelZup	
Feb 11, 2021	Client Health Education Resource	NPWT PICO7 / PICO14 CHN Education Booklet	New document.
Feb 11, 2021	Client Health Education Resource	NPWT PICO7 Patient Self Care Education Booklet	New document.
Feb 11, 2021	Client Health Education Resource	NPWT Prevena 125 CHN Education Booklet	New document.
Feb 11, 2021	Client Health Education Resource	NPWT Prevena 125 Patient Self Care Education Booklet	New document.
Feb 11, 2021	Client Health Education Resource	NPWT SNAP Education Booklet	New document.
Feb 11, 2021	Client Health Education Resource	NPWT VACVia Education Booklet	New document.
Feb 11, 2021	Client Health Education Resource	NPWT ActiVAC Education Booklet	New document.
Jan 31, 2021	Staff Education Resource Video - NPWT Safety Monitoring Check	NPWT Video#1 Safety Monitoring Check	Revised: tightened up the timing of the video now ~1.30sec in length.
Jan 31, 2021	Staff Education Resource Video	NPWT Video#2 Trouble Shooting an Air Leak	Revised: tightened up the timing of the video now ~1.30sec in length.
Jan 31, 2021	Staff Education Resource Video	NPWT Video#3 Therapy Discontinued/Completed: Removal of Dressing – Closed Incision	Revised: tightened up the timing of the video now ~1.30sec in length.

Jan 31, 2021	Staff Education Resource Video	NPWT Video#4 Therapy Discontinued/Completed: Removal of Dressing – Open Wound	Revised: tightened up the timing of the video now ~1.30sec in length.
Jan 31, 2021	Staff Education Resource Video	NPWT Video#5 Irreparable Air Leak Device Failure: Alternate Dressing – Cut & Cover	Revised: tightened up the timing of the video now ~1.30sec in length.
Jan 31, 2021	Staff Education Resource Video	NPWT Video#6: Irreparable Air Leak Device Failure: Alternate Dressing -Take Down	Revised: tightened up the timing of the video now ~1.30sec in length.
Jan 31, 2021	Staff Education Resource Module	NPWT Level One – Monitor & Manage	Revised: - User feedback over first 6 months incorporated; small change to clarify wording or to smooth out process - For the Transition/Client Teaching screen, added in wording as to how to determine which alternate dressing the client should use in the case of a irreparable leak or device failure.
Jan 31, 2021	Decision Support Tool Procedure	PICO7 / PICO14 NPWT Dressing Application Procedure	Revised - Clarified that dressing can be used on wounds with depth up to 4.5cm - Clarified at what depth packing is needed - Medical Device Safety Consideration: MRI and Diagnostic Imaging sections to clarify when a NWPT dressing needs to be removed prior to a MRI scan or diagnostic imaging.
Jan 31, 2021	Decision Support Tool Procedure	Prevena Customizable NPWT Dressing Application Procedure	Revised: Medical Device Safety Consideration: MRI and Diagnostic Imaging sections to clarify when a NWPT dressing needs to be removed prior to a MRI scan or diagnostic imaging.
Jan 31, 2021	Decision Support Tool Procedure	Prevena Peel & Place NPWT Dressing Application Procedure	
Jan 31, 2021	Decision Support Tool Procedure	SNAP NWPT Dressing Application: Procedure	
Jan 31, 2021	Decision Support Tool Procedure	VACVia NPWT Dressing Application Procedure	
Jan 31, 2021	Decision Support Tool Procedure	VACulta & ActiVAC NPWT Dressing Application: Procedure	
Jan 31, 2021	Decision Support Tool Guideline	NPWT (Reusable/ Disposable) for Adults & Children: Guideline	Revised: - Clarified that Abthera management is as per HA policy - Medical Device Safety Consideration: MRI and Diagnostic Imaging sections to clarify when a NWPT dressing needs to be removed prior to a MRI scan or diagnostic imaging.

			• Under Assessment/Precautions, added in exposed bowel • In the Interventions section; changed the order of the sections to start with “Precautions to be Addressed” and then to go to “Ordering NPWT” • In the Precautions to be Addressed” added considerations for exposed bowel, listed the types of solutions that could be used with Instill-Dwell • In the Nurses’ section; added in direction to review the client’s chart for OR report regarding packing and the count and for history of NPWT dressing procedural pain
Jan 15, 2021	Quick Reference Guide	Master Quick Reference Guide – Wound Dressing Selection for Adults	Revised: QRG revised to into two documents; one a Master List which is posted and the other, a fillable HA/Site Specific QRG, which can be requested.
Jan 04, 2021	Clinical Reference Table	Antimicrobials & Antiseptics	Updated: added S&N Iodosorb and Acticoat to be effective against any species of Klebsiellia.
Jan 03, 2021	Product Information Sheet	Acticoat for Burns	Updated: new photo.
Jan 03, 2021	Product Information Sheet	Acticoat for Wounds	Updated: new photo.
Jan 03, 2021	Product Information Sheet	Waffle Foot Boot	Updated: clarified that boot is single-client use only.
Jan 03, 2021	Product Information Sheet	Turning Clock EZ	Updated: diagram of clock enlarged
Jan 03, 2021	Algorithm	Heel Offloading Algorithm	Reposted the 2 page Heels Offloading document as two separate documents.
Jan 03, 2021	Quick Reference Guide	Heel Offloading QRG	
Jan 03, 2021	Product Information Sheet	Prevail Tabbed Brief	Updated: added in absorbency capacity for both the Breezer360 and the Air Overnight briefs. Added size “Small” is also available.
Dec 22, 2020	Client Health Education Resource	High Voltage Pulsed Current (HVPC) Wound Therapy	New document.
Dec 15, 2020	Product Information Sheet	Biatian Silicone Ag	New document.
Dec 11, 2020	Product Information Sheet	Mepilex Border for Wound Care	Updated: photo of new heel dressing added to both PISheets. Dressing now has visual ‘handling tabs’ for easier removal and for PIP dressings easier handling when doing skin checks
Dec 11, 2020	Product Information Sheet	Mepilex Dressings for PIP	
Dec 11, 2020	Product Information Sheet	Anasept	Updated: added in directions for using solution for wound packing.
Dec 11, 2020	Product Information Sheet	Vashe	Updated as product now back on the market.
Dec 11, 2020	Product Information Sheet	Interdry	Updated: product now comes as a grey sheet with an imprinted 5x5cm grid to assist with sizing the sheet

Dec 06, 2020	Product Information Sheet	Mepilex Sacral Dressing for PIP	New document to support LTC during COVID.
Dec 04, 2020	Product Information Sheet	Comfort Pad Lite (Tena)	Removed.
Dec 04, 2020	Product Information Sheet	Comfort Pad Plus (Tena)	Removed.
Dec 04, 2020	Product Information Sheet	Comfort Pad Extra (Tena)	Removed.
Dec 04, 2020	CNE Educational Resource:	Adult Brief & Liner Protector Under-Pad Contract Implementation	Updated to add in link to the Prevail Tabbed Brief application tips video.
Dec 04, 2020	Product Information Sheet	Prevail Tabbed Brief	Updated with link to an application tips video (5.40mins)
Nov 30, 2020	Product Information Sheet	Triad	Revised: changed the wound filler sub-category from 'Hydrophilic Zinc Paste' to "Hydrophilic Paste Dressing".
Nov 30, 2020	Decision Support Tool Guideline	Wound Dressing Selection for Adults & Children	New document.
Nov 30, 2020	Quick Reference Guide	Wound Dressing Selection for Adults	New document.
Nov 11, 2020	Prescriber Clinical Resource	FNHA Benefits Funding Process Ostomy Supplies	New document.
Oct 28, 2020	Product Information Sheet	Abri-San Protective Pad	Updated: added a short application video.
Oct 28, 2020	Product Information Sheet	Abri-Flex Pull-Up Brief	Updated: added a short application video.
Oct 16, 2020	Product Information Sheet	HeelZup	Updated: ensured correct sizes of cushion and removed any disposable cushions. Added statement to try pillows first and added more description regarding the cushions.
Oct 16, 2020	Product Information Sheet	HeelZup Cloud	
Oct 16, 2020	Product Information Sheet	Heelzup Supreme	
Oct 16, 2020	Product Information Sheet	HeelZup w Thigh Support	
Oct 15, 2020	AER/C Resource	AER/C Negative Pressure Wound Therapy Monitor & Manage – Learning Plan	New document.
Oct 15, 2020	AER/C Resource	AER/C Negative Pressure Wound Therapy Monitor & Manage - Competency Checklist	New document.
Oct 14, 2020	Additional Education Requirements/Competencies (AER/C) Document	AER/C Negative Pressure Wound Therapy – Monitor & Manage	Revised: reformatted signature section of Competency Check list
Sep 29, 2020	Procedure	VACUIta4 Veraflo Procedure	New document.
Sep 25, 2020	CNE Educational Resource	Adult Brief & Liner Protector Under-Pad Contract Implementation	New document.
Sep 25, 2020	Quick Reference Guide	ProSkin Belted Brief Sizing & Absorbency	New document.
Sep 25, 2020	Quick Reference Guide	Prevail Tabbed Brief Sizing	New document.

Sep 25, 2020	Quick Reference Guide	Abri-Flex Sizing & Absorbency	New document.
Sep 25, 2020	Quick Reference Guide	Abri-San Sizing & Absorbency	New document.
Sep 25, 2020	Educational Resource: PPP PDF	Linen Protector UnderPads Pdf Version	New document.
Sep 25, 2020	Educational Resource: Video no voice	Linen Protector UnderPads Video no Voice	New video.
Sep 25, 2020	Educational Resource: Video with voice	Linen Protector UnderPads Video with Voice	New video.
Sep 25, 2020	Educational Resource: PPP PDF	Prevail Tabbed Brief Pdf Version	New document.
Sep 25, 2020	Educational Resource: Video no voice	Prevail Tabbed Brief Video no Voice	New video.
Sep 25, 2020	Educational Resource: Video with voice	Prevail Tabbed Brief Video with Voice	New video.
Sep 25, 2020	Educational Resource: PPP PDF	Abri-Flex Pull-Up Brief Pdf Version	New document.
Sep 25, 2020	Educational Resource: Video no voice	Abri-Flex Pull-Up Brief Video no Voice	New video.
Sep 25, 2020	Educational Resource: Video with voice	Abri-Flex Pull-Up Brief Video with Voice	New video.
Sep 25, 2020	Educational Resource: PPP PDF	Abri-San Protective Pad Pdf Version	New document.
Sep 25, 2020	Educational Resource: Video no voice	Abri-San Protective Pad Video no Voice	New video.
Sep 25, 2020	Educational Resource: Video with voice	Abri-San Protective Pad Video with Voice	New video.
Sep 25, 2020	Product Information Sheet	Extrasorb	New PISheet.
Sep 25, 2020	Product Information Sheet	Ultrisorb	Updated: provides the differences between the Ultrisorb and the Extrisorb linen protector under-pads
Sep 25, 2020	Product Information Sheet	Prevail Tabbed Brief	New PISheet.
Sep 25, 2020	Product Information Sheet	Abri-Flex Pull-Up Brief	New PISheet.
Sep 25, 2020	Product Information Sheet	Knit Pants	Revised PISheet; removed disposable mesh pants for document, for the purposes of continence containment will be using the washable knit pants.
Sep 25, 2020	Product Information Sheet	Abri-San Protective Pad	New PISheet.
Sep 17, 2020	Product Information Sheet	Valco Body Supporter	Updated: device no longer available from Valco; Solumed is the new distributor for just two sizes of positioning bags

Sep 17, 2020	Product Information Sheet	Ventopedic Heel Elevation Boot with Butterfly Lift	Updated to add in statement that boot is to be used only after pillows and wedges have been considered and/or tried.
Sep 12, 2020	Clinical Decision Support Tool	Wound Management for Adults & Children	Updated the cleansing section regarding the use of antiseptic cleansers; removed Prontosan, added sodium hyperchlorite and hypochlorous acid.
Sep 10, 2020	Additional Education Requirements/Competencies (AER/C) Document	LPN Wound Cleansing Wound Packing Visible/Nonvisible Wound Bed	Updated: • Pulled the Wound Cleansing and Wound Packing checklists into one checklist • Added in an explanation that the quiz in the appendix is the same quiz as on in the LHUB course. • Word-smithed the quiz questions for clarity.
Sep 09, 2020	Additional Education Requirements/Competencies (AER/C) Document	AER/C Negative Pressure Wound Therapy – Monitor/Manage	Updated: added in an explanation that the quiz in the appendix is the same quiz as on in the LHUB course.
Sep 06, 2020	Product Information Sheet	First Step Select	Updated: reformatted to match AtmosAir 9000 PISheet.
Sep 06, 2020	Product Information Sheet	AtmosAir 9000 Series	New.
Sep 01, 202	Product Information Sheet	Mepilex Dressings for Pressure Injury Prevention (PIP)	Updated: added a link to a Molnlycke video on how to apply the sacral dressing.
Aug 23, 2020	Product Information Sheet	Mepilex Border Flex – Oval	Updated: name of dressing updated to note its oval shape.
Aug 23, 2020	Product Information Sheet	UrgoTul Ag Sliver	Updated: new size 20x40cm added.
Aug 22, 2020	Prescriber Clinical Resource	Antimicrobials & Antiseptic Clinician Resource Table	Added: information on Iodoform
Aug 22, 2020	Product Information Sheet	Iodoform Packing	Updated to add under the direction of Physician/NP/NSWOC/WC.
Aug 14, 2020	Clinical Resource Tool	Ostomy Suppliers List	Updated: added/deleted suppliers
Jul 23, 2020	Product Information Sheet	Flexiseal Protect	Revised: Changed q8h irrigation to maintain patency to 'as needed'.
Jun 30, 2020	Clinic Referral Form	Eagle Ridge Hospital Wound Clinic Referral Form	New.
Jun 29, 2020	Learning Module	NPWT Level One: Monitor & Manage	New module – see Knowledge Library: eModules/#10.
Jun 29, 2020	NPWT Level One: Monitor & Manage videos	NPWT Video#1 Safety Monitoring Check	New videos – see 6. Instructional Videos folder.
		NPWT Video#2 Troubleshooting an Air Leak	
		NPWT Video#3 Therapy Discontinued/Completed:	

		Removal of Dressing - Closed Incision	
		NPWT Video#4 Therapy Discontinued/Completed: Removal of Dressing - Open Wound	
		NPWT Video#5 Irreparable Air Leak - Alternate Dressing A: Cut & Cover	
		NPWT Video#6 Irreparable Air Leak- Alternate Dressing B: Take Down	
Jun 29, 2020	Additional Education Requirements/Competencies (AER/C) Document	AER/C Negative Pressure Wound Therapy – Monitor/Manage	Revised: Quiz questions #3 and #5 replaced with new questions pertaining to monitoring & managing of NPWT and #6 updated to provide a 'wrong' option (learning principle)
Jun 20, 2020	Guideline	Prevention of Pressure Injury for Adults & Children	Updated: Added links to the Provincial Support Surfaces Selection Algorithm and to the QRG/Algorithm: Heel Offloading
June 20,2020	Quick Reference Guide	Pressure Injury Prevention (PIP) for Individuals with COVID Acute Respiratory Distress	New document.
Jun 20, 2020	Prescriber Clinical Resource	Antimicrobials & Antiseptic Clinician Resource Table	Updated: Silversorb and Ag+ Powder with additional information regarding which antimicrobials the products are effective against.
Jun 20, 2020	Product Information Sheet	Iodoform Packing	New document
May 14, 2020	Product Information Sheet	Mepilex Dressings for Pressure Injury Prevention (PIP)	Revised: • Name change from Mepilex Border for PIP to Mepilex Dressings. • Added a new section, PIP dressing for Bony Prominences.
May 10, 2020	Quick Reference Guide	Heels Offloading Algorithm	New document.
May 09, 2020	Product Information Sheet	Baitain Ag Adhesive	Revised: added that for dressing needs to be removed for CT Scabs
May 09, 2020	Product Information Sheet	Baitain Ag Non-Adhesive	
May 08, 2020	Product Information Sheet	CHG 2% w 70% Alcohol for Wound Care	New document.
May 08, 2020	Quick Reference Guide	Prevention of Wound Infection – Saving Dressing Pieces	New document for the Education/Learning Tool folder.
May 08, 2020	Prescriber Clinical Resource	Topical Antibiotics & Antifungal Clinical Resource Table	New document and new folder.
May 08, 2020	Prescriber Clinical Resource	Antimicrobials & Antiseptic Clinician Resource Table	New document and new folder.

May 08, 2020	Decision Support Tool Procedure	Swab for C&S in Suspected Wound Infection	Revised to current document template – moved the definitions to the back of the document.
May 08, 2020	Decision Support Tool Guideline Summary	Assessment and Treatment of Wound Infection	Revised to match the S&S table in the revised guideline.
May 08, 2020	Decision Support Tool Guideline	Assessment, Prevention & Treatment of Wound Infection	Revised: • Removed Appendix B (list of PISheets) • In Background section, clarified wording regarding muted and prolonged inflammatory response. • For the S&S of Infection Table, added only one S&S is needed for clients who are immuno- suppressed. • Clarified the treatment for a dry stable eschar (maintenance wound) now showing S&S of infection is to consult with Physician /NP • Added links to the Antimicrobial/Anti-septic Table and to the Antibiotics/ Antifungal Table.
May 01, 2020	Client Health Education Resource	CHER: PICO 7 Final Draft	New documents: final draft posted until PHEM/Print Shop version available
May 01, 2020	Client Health Education Resource	CHER: NPWT Prevena125 Final Draft	
May 01, 2020	Client Health Education Resource	CHER: NPWT SNAP Final DRaft	
May 01, 2020	Client Health Education Resource	CHER: NPWT VACVia Final Draft	
May 01, 2020	Client Health Education Resource	CHER: NWPT ActiVAC Final Draft	
May 01, 2020	Decision Support Tool Procedure	VacVIA NPWT Disposable – Dressing Application	Revised documents: • Added Yukon logo • Added ‘Red Flag’ for Device Safety Concerns • Added links to specific CHER • Added statement as to where to find info regarding Lidocaine • Clarified that soak methods other than Pre-Soak Method#1 or Method#3 may be ordered.
May 01, 2020	Decision Support Tool Procedure	SNAP NPWT Disposable – Dressing Application	
May 01, 2020	Decision Support Tool Procedure	Prevena Peel & Place NPWT Disposable – Dressing Application	
May 01, 2020	Decision Support Tool Procedure	Prevena Customizable NPWT Disposable – Dressing Application	
May 01, 2020	Decision Support Tool Procedure	PICO 7 NPWT Disposable - Dressing Application	
May 01, 2020	Decision Support Tool Procedure	UltraVAC4/ActiVac NPWT Reusable - Dressing Application	Revised document: • Removed the procedure steps for doing NPWT Instill-Dwell – separate Veraflo document being developed • Added Yukon logo • Added ‘Red Flag’ for Device Safety Concerns • Added links to specific CHER

			- Added statement as to where to find info regarding Lidocaine - Clarified that soak methods other than Pre-Soak Method#1 or Method#3 may be ordered.
May 01, 2020	Additional Education Requirements/Competencies (AER/C) Document	AER/C Negative Pressure Wound Therapy – Monitor/Manage	New document.
May 01, 2020	Documentation Flow Sheet	NPWT Safety/Monitoring Check Flow Sheet	Updated document: - Added Yukon logo - Added reminder to record exudate amount on I&O as per unit policy.
May 01, 2020	Decision Support Tool Guideline	Negative Pressure Wound Therapy (Reusable/ Disposable) for Adults & Children	Revised document: - Added Yukon logo - Added “Red Flag” for Device Safety Concerns and Adverse Events - Added links to all of the CHERs - Set up link to new procedure Veraflow - For the NPWT Order section, moved what is a ‘complete order’ to be the first item in this section, followed by the details for doing the order; called out the Veraflo parameters - Added in a new section, Special Considerations for Veraflo
Apr 20, 2020	Product Information Sheet	Ventopedic Heel & Ankle Boot	Revised: clarified that the boot should only be used for standing or transfer to chair; not for walking
Apr 17, 2020	COVID19 Resource	PPE Skin Injury Prevention & Treatment Poster	New document.
Apr 11, 2020	Long Term Care Resource	LTC Recommended Skin & Wound Products Revised April 2020	Revised document.
Mar 24, 2020	Product Information Sheet	Dakin’s Solution	New document.
Mar 24, 2020	Product Information Sheet	Acetic Acid	New document.
Mar 19, 2020	Decision Support Tool Guideline	High Voltage Pulsed Current Wound Therapy for Adults & Children: Guideline/Procedure	New document.
Mar 12, 2020	CLWK ‘Search’ function	N/A	Fixed: hyperlink to the document now ‘sits’ on the name of the document.
Mar 12, 2020	Product Information Sheet	Povidone Iodine for Wound Care	Revised: added statement to allow solution to dry 30secs on dry area and 2 mins if area is slightly moist/moist.
Mar 12, 2020	Product Information Sheet	Flamazine	New document.
Feb 13, 2020	Product Information Sheet	Baitain Ibu	Revised: updated the statement regarding the 3D Fit Technology’s wound bed conformability to add that the
Feb 13, 2020	Product Information Sheet	Baitain Ag Adhesive	

Feb 13, 2020	Product Information Sheet	Baitain Ag Non-Adhesive	conformability reaches up to a depth of 2cms.
Feb 10, 2020	Product Information Sheet	Prontosan Wound Irrigation Solution	Revised: vendor provided new instructions for opening the bottle. Application steps reformatted to call out wounds with potential biofilm, wounds with light debris and wounds with heavy debris.
Jan 31, 2020	Product Information Sheet	Prontosan Wound Irrigation Solution	Revised: added statement that ointments, creams, gels, enzymatic products, etc. must be removed before the cleanser is used.
Jan 25, 2020	AER/Competencies Document	LPN Wound Cleansing Wound Packing Visible/Nonvisible Wound Bed	Revised: slight reformatting done to make the competency checklist easier to read
Jan 22, 2020	Product Information Sheet	Integra	New document.
Jan 8, 2020	Product Information Sheet	Mepilex Border for Pressure Injury Prevention	Updated: dressing may now be left in place for up to 7 days if not rolled or soiled.
Jan 8, 2020	Product Information Sheet	Marathon	Revised to add in information regarding the MarathonXL which cover an area greater than 20x25cm; should be considered when needing to use more than 3 of the 0.5gm size.
Jan 7, 2020	Product Information Sheet	Xeroform Dressing for Donor Sites	New document.
Jan 5, 2020	Product Information Sheet	PICO	Removed the PISheet and provided the link to the PICO7 Procedure.
Jan 5, 2020	Product Information Sheet	Prevena	Removed the PISheet and provided the links to the Prevena Peel & Place Procedure and the Prevena Customizable Procedure.
Jan 5, 2020	Documentation Flow Sheet	NPWT Safety/Monitoring Check Flow Sheet	New document.
Jan 5, 2020	Decision Support Tool Guideline	Negative Pressure Wound Therapy (Reusable/ Disposable) for Adults & Children	Revised: - Updated the General Safety Considerations sections to provide clearer direction - Added in additional Bookmarks related to Pain Management and Nursing Care - Added in the Safety/Monitoring Check Flow Sheet hyperlink as well as all of the Dressing Application Procedures - Added in a section regarding the components of a complete NPWT order - Added in a section for Special Considerations when NPWT cannot be maintained for 22hr/24hrs which provides rationale for the need for an

			alternate dressing plan and the two options for this plan - Added a Client Showering section to provide guidance on when and how showering (no tub baths) can be done. - Revised the Discharge/Transition section related to Long Term Care to be clearer in what considerations are needed with transitioning a patient/client with NPWT to a LTC Facility. - Updated the Summary Table: Form and Function of Reusable/ Disposable NPWT Devices to include PICO 7 (Appendix A)
Jan 5, 2020	Decision Support Tool Procedure	UltraVAC4/ActiVac NPWT Reusable - Dressing Application	Revised to add in a Client Showering section.
Jan 5, 2020	Decision Support Tool Procedure	VacVIA NPWT Disposable – Dressing Application	Revised to add in a Client Showering section.
Jan 5, 2020	Decision Support Tool Procedure	SNAP NPWT Disposable – Dressing Application	Revised to add in a Client Showering section.
Jan 5, 2020	Decision Support Tool Procedure	Prevena Peel & Place NPWT Disposable – Dressing Application	Revised to add in a Client Showering section and to add that a 35cm length dressing is now available.
Jan 5, 2020	Decision Support Tool Procedure	Prevena Customizable NPWT Disposable – Dressing Application	Revised to add in a Client Showering section.
Jan 5, 2020	Decision Support Tool Procedure	PICO 7 NPWT Disposable - Dressing Application	Revised to add in a Client Showering section.
Dec 31, 2019	Product Information Sheet	Secura Extra Protective Cream (EPC)	Revised to match information on the Adult Skin Care Protocol Poster.
Dec 31, 2019	Product Information Sheet	Remedy Nourishing Cream	Revised to match information on the Adult Skin Care Protocol Poster.
Dec 31, 2019	Product Information Sheet	Remedy Hydraguard Cream	Revised to match information on the Adult Skin Care Protocol Poster.
Dec 31, 2019	Product Information Sheet	Remedy Foam Cleanser	Revised to match information on the Adult Skin Care Protocol Poster.
Dec 31, 2019	Product Information Sheet	PHMB for Skin Folds	Revised to match information on the Adult Skin Care Protocol Poster.
Dec 31, 2019	Product Information Sheet	Atrac-Tain	Revised to match information on the Adult Skin Care Protocol Poster.
Dec 19, 2019	Product Information Sheet	Prontosan Wound Irrigation Solution	Revised the classification of the product; as per the vendor, from an Antimicrobial/ Antiseptic to Wound Cleanser with surfactant (Betaine) only
Nov 26, 2019	Teaching/Learning Resource	Adult Skin Care Protocol Poster	Revised protocol to include Gentle Rain as well as include the maximum number (10) of pumps need for the Remedy No Rinse Cleanser for a complete bath. Clarification & word-smithing also done.

Nov 22, 2019	Product Information Sheet	PHMB Gauze for Skin Folds & Contractures	Revised to add in a statement that the PHMB gauze ionically attract bacteria into the dressing where it is killed.
Nov 22, 2019	Product Information Sheet	PHMB Gauze for Wounds	
Nov 17, 2019	Decision Support Tool Procedure	Procedure: NPWT Disposable Dressing Application: PICO 7	Revision done to pre-soak step to state that due to the dressing's one-way value that the dressing needs to be removed should the black foam need to be soaked.
Nov 17, 2019	Product Information Sheet	Baitain Ibu	Revised to include a statement regarding wound bed conformability of dressing due to its 3D Fit Technology.
Nov 17, 2019	Product Information Sheet	Baitain Ag Adhesive	
Nov 17, 2019	Product Information Sheet	Baitain Ag Non-Adhesive	
Oct 27, 2019	Decision Support Tool Procedure	Procedure: NPWT Disposable Dressing Application: PICO 7	New document.
Oct 19, 2019	Product Information Sheet	Adapt Adhesive Remover	New document.
Oct 19, 2019	Product Information Sheet	Adhesive Remover	Deleted.
Oct 19, 2019	Product Information Sheet	Mepilex Transfer	Both revised to add in a statement that when used with oxidising agents such as sodium hypochlorite, hypochlorous acid or hydrogen peroxide that the peri-wound skin is thoroughly dry before applying the dressing.
Oct 19, 2019	Product Information Sheet	Mepilex Transfer Ag	
Oct 01, 2019	Product Information Sheet	Biatain Ag Non-Adhesive	Updated the old Biatain Ag PISheet into separate PISheets, Non-Adhesive and Adhesive; add that Biatain Ag is effective in killing mature biofilm and in preventing biofilm formation. For Biatain Adherent added in statement to warm the border with your hands for better adhesion.
Oct 01, 2019	Product Information Sheet	Biatain Ag Adhesive	
Oct 01, 2019	Product Information Sheet	Silver Nitrate	Revised to provide more direction regarding how to apply Silver Nitrate for hypergranulation, granulomas and small bleeds.
Oct 01, 2019	Product Information Sheet	Mepilex Lite	All revised to add in a statement that when used with oxidising agents such as sodium hypochlorite, hypochlorous acid or hydrogen peroxide that the peri-wound skin is thoroughly dry before applying the dressing.
Oct 01, 2019	Product Information Sheet	Mepilex Border Post-Op	
Oct 01, 2019	Product Information Sheet	Mepilex Border for Wound Care	
Oct 01, 2019	Product Information Sheet	Mepilex Border Flex	
Oct 01, 2019	Product Information Sheet	Mepilex	
Oct 01, 2019	Product Information Sheet	Mepilex Border Lite	Revised to include the above mentioned statement plus that the dressing should be changed when it is 80% saturated.
Oct 01, 2019	Product Information Sheet	Hydrofera Blue Ready	Revise to provide the same Health Canada statements as the HFB Classic. Also added in statement to fenestrate the dressing when applying it under TCC or compression. Revised the wording regarding dressing change frequency to highlight the need to monitor the colour of the dressing daily and change when white/light blue.

Oct 01, 2019	Product Information Sheet	Hydrofera Blue Classic	Revised the wording to match the HFB ReadyPISheet regarding dressing change frequency to highlight the need to monitor the colour of the dressing daily and change when white/light blue.
Oct 01, 2019	Product Information Sheet	Inadine	Revised to provide rationale for using only one layer; multiple layers may cause exudate to collect under the layers leading maceration.
Oct 01, 2019	Product Information Sheet	Ag+ Powder for Skin	Revised to add in statement that powder is effective against bacteria and fungus.
Oct 01, 2019	Product Information Sheet	Ag+ Powder for Wounds	Revised to add in statement that powder is effective against bacteria and fungus.
Sep 27, 2019	Documentation Flow Sheet	Wound Assessment & Treatment Flow Sheet without PSL# Landscape 4pg	New Flow Sheet which pulls the Assessment and the Wound Treatment Plan into one 4pg document.
Sep 27, 2019	Documentation Guideline	Wound Assessment & Treatment Flow Sheet without PSL# Landscape 4pg	New Documentation Guideline to go with the new Flow Sheet.
Sep 27, 2019	Documentation Flow Sheet	Wound Assessment & Treatment Flow Sheet with PSL# Landscape 4pg	New Flow Sheet which pulls the Assessment and the Wound Treatment Plan into one 4pg document.
Sep 27, 2019	Documentation Guideline	Wound Assessment & Treatment Flow Sheet with PSL# Landscape 4pg	New Documentation Guideline to go with the new Flow Sheet.
Sep 27, 2019	Documentation Guideline	Wound Assessment & Treatment Flow Sheet without PSL# Landscape 2pg	Revised the title of this Guideline to include '2pg' to distinguish it from the 4pg version. Added in as a Related Document, the 4pg version.
Sep 27, 2019	Documentation Guideline	Wound Assessment & Treatment Flow Sheet with PSL# Landscape 2pg	Revised the title of this Guideline to include '2pg' to distinguish it from the 4pg version. Added in as a Related Document, the 4pg version.
Sep 24, 2019	Documentation Flow Sheet	Wound Assessment & Treatment Flow Sheet without PSL# - Portrait	Revised with small formatting changes to provide more space for charting the Wound Treatment Plan(s).
Sep 24, 2019	Documentation Flow Sheet	Wound Assessment & Treatment Flow Sheet with PSL# - Portrait	Revised with small formatting changes to provide more space for charting the Wound Treatment Plan(s).
Aug 19, 2019	CLWK Ostomy shortcut icon	Ostomy icon	Shortcut icon on the CLWK home page which takes the users to the PNOC section of CLWK.
Aug 12, 2019	Product Information Sheet	Hydrafera Blue Ready	New document.
Aug 07, 2019	Decision Support Tool Procedure	NPWT Reusable UltavAC4 ActiVAC Dressing Application	Updated with links to the recently posted disposable NPWT procedures.
Aug 02, 2019	Product Information Sheet	Sensifoot	Updated to add that white-coloured socks now available.

Jul 23, 2019	Decision Support Tool Procedure	Procedure: NPWT Disposable Dressing Application – Prevena Customizable	New document.
Jul 23, 2019	Decision Support Tool Procedure	Procedure: NPWT Disposable Dressing Application – Prevena Peel & Place	New document.
Jul 23, 2019	Decision Support Tool Procedure	Procedure: NPWT Disposable Dressing Application – SNAP	New document.
Jul 23, 2019	Decision Support Tool Procedure	Procedure: NPWT Disposable Dressing Application – VACVia	New document.
Jul 07, 2019	Product Information Sheet	CalciCare Silver	Revised document to add in statement that only under an NSWOC/Wound Clinician is the packing ribbon to be used in under- minings/sinus tracts/tunnels as the ribbon components (nylon webbing and alginate may separate.
Jul 06, 2019	Decision Support Tool Guideline Summary	Guideline Summary: Moisture Associated Skin Damage (MASD) for Adults and Children	Revised document to add in Cavilon Advanced Protectant and Marathon ‘when to use’. Reformatted background colours
Jul 06, 2019	Decision Support Tool Guideline	Guideline: Moisture Associated Skin Damage (MASD) for Adults and Children	Revised document to add in Cavilon Advanced Protectant and Marathon ‘when to use’
Jul 06, 2019	Decision Support Tool Guideline	Guideline: Assessment, Prevention & Treatment of Wound Infection	Revised document to new guideline format and removed the pending Appendix B as now no longer required.
Jul 05, 2019	Decision Support Tool Procedure Decision Grid	Procedure Decision Grid: Removal of Non-Therapeutic Maggots (Myiasis)	New document.
Jul 05, 2019	Decision Support Tool Procedure	Procedure: Removal of Non-Therapeutic Maggots (Myiasis)	New document.
Jun 24, 2019	Product Information Sheet	Hydrofera Blue Classic	Revised PISheet – precautions added regarding pregnant or breastfeeding women, not to use the product longer than 6 months without a clinical review and that the Gentian Violet stays within the dressing, is not ‘donated’ to the wound bed or periwound skin.
Jun 16, 2019	Product Information Sheet	Hydrofera Blue Classic	Replaced the PISheet with a recall of product notification due to the Health Canada Advisory on Gentian Violet
Jun 05, 2019	Product Information Sheet	Restore Silver Contact Layer	Restore product now called UrgoTul Ag/Silver; redirect provided to the new product.
Jun 05, 2019	Product Information Sheet	Restore Contact Layer Flex	Restore product now called UrgoTul; redirect provided to the new product.

Jun 05, 2019	Product Information Sheet	UrgoTul Ag/Silver	New document.
Jun 05, 2019	Product Information Sheet	UrgoTul	New document.
May 25, 2019	Resource	BC Ostomy Suppliers List	Revised suppliers' list to now have bookmarked Table of Contents to make it easier to get to the geographic sections of the document.
Apr 11, 2019	Decision Support Tool Guideline	Negative Pressure Wound Therapy for Adults & Children	New document.
Apr 11, 2019	Decision Support Tool Procedure	NPWT Reusable UltaVAC4 ActiVAC Dressing Application	New document.
Apr 11, 2019	Product Information Sheet	Anasept Skin & Wound Cleanser	New document.
Apr 11, 2019	Product Information Sheet	Vashe Wound Cleanser	New document.
Apr 10, 2019	Product Information Sheet	Prontosan	Revised: added the statement "to be used under the direction of a NSWOC/Wound Clinician to bring it in line with Vashe and Anasept PISheets.
Apr 10, 2019	Product Information Sheet	Biatain Ibu	Revised: added in the 0.5mg/cm ² Ibu concentration that is within each dressing
Apr 10, 2019	Product Information Sheet	Biatain Ag	Revised: add to the indications wounds with S&S of biofilm
Apr 08, 2019	Product Information Sheet	Hydrofera Blue Classic	New document: the term "classic" includes the Hydrofera Standard, Heavy Drainage and Tunnel dressings as well as the Ostomy Ring dressing.
Apr 08, 2019	Product Information Sheet	Hydrofera Blue Tube	Removed.
Apr 08, 2019	Product Information Sheet	Hydrofera Blue Heavy Drainage	Removed.
Apr 08, 2019	Product Information Sheet	Hydrofera Blue Standard	Removed.
Mar 20, 2019	Product Information Sheet	SensiFoot	New document.
Mar 13, 2019	Resource	BC Ostomy Suppliers List	Revised suppliers' list.
Mar 12, 2019	Instructional Video	Marathon	Updated video.
Mar 12, 2019	Product Information Sheet	Marathon	Revised with updated video link: - Product is to be used in consultation with NSWOC/Wound Clinician in situations where: - IAD/MASD is worsening with current treatment; - for protection against medical adhesive related skin injury and - for the management of Type I Skin Tears
Mar 07, 2019	Product Information Sheet	First Step Cirrus	New document.
Mar 07, 2019	Product Information Sheet	Cavilon Advanced Skin Protectant	New document.

Mar 07, 2019	Product Information Sheet	Flexi-Seal Protect	Upgraded product to the Flexiseal Signal FMS; device now has green and red indicator buttons to show when balloon is correctly inflated.
Feb 10, 2019	Guideline	AER: LPN Care of Wounds with a Non-Visible Wound Bed	Revised: • Quiz question#5 format to match the electronic LHub version • Skills Checklist to have Date Met/Date Unmet (removed Partially Met) and added a Learning Plan for those skills not met
Feb 10, 2019	Product Information Sheet	Turning Clock EZ	New document
Jan 23, 2019	Product Information Sheet	Interdry Ag	Revised to add an indication that product may provide comfort for clients with radiation skin reaction (BCCA indication)
Jan 23, 2019	Product Information Sheet	Restore Silver Contact Layer	Updated vendor name from Hollister to Urgo Medical
Jan 23, 2019	Product Information Sheet	Restore Contact Layer Flex	Updated vendor name from Hollister to Urgo Medical
Jan 23, 2019	Product Information Sheet	Triad	Revised to clearly lay out the application and removal of the product for when it is used for difficult to dress wounds, shallow wounds, undermining/sinus/tunnels
Jan 22, 2019	Product Information Sheet	Urinary Pouch (Male)	Updated to correctly state SoftFlex and Flexend as the product choices (not sizes as on the previous version)
Jan 22, 2019	Product Information Sheet	Iodosorb	Updated to indicate that Iodosorb can be used for those with a seafood allergy as well as a clarification of the precaution for use with Lithium; can result in hypothyroidism.
Jan 16, 2019	Product Information Sheet	Allevyn Non-Adherent	Added the 40x70cm size
Jan 16, 2019	Product Information Sheet	Hydrofera Blue - Standard	Vendor name change from Hollister to Appulse Medical
Jan 16, 2019	Product Information Sheet	Hydrofera Blue – Heavy Drainage	Vendor name change from Hollister to Appulse Medical
Jan 16, 2019	Product Information Sheet	Hydrofera Blue - Tube	Vendor name change from Hollister to Appulse Medical
Jan 16, 2019	Product Information Sheet	Duoderm Signal	New document.
Jan 16, 2019	Product Information Sheet	Bactigras	New document.
Jan 10, 2018	Product Information Sheet	Heelzup Cloud	Device has been redesigned with a lower profile foam cushion which has an open-cell structure for good air circulation, shaped to support the lower legs; bottom surface is an anti-slip material; can now be compressed for easier storage. Reusable device comes with a 3-year warranty on the cushion and the cover.

Jan 10, 2018	Product Information Sheet	Calicare-Silver	New document.
Jan 09, 2018	Product Information Sheet	Kaltostat	PISheet reviewed; no changes except for adding the review date
Dec 22, 2018	Decision Support Tool Procedure	Wound Cleansing	Procedure revised to clearly state not cleanse undermining, sinus/tract with an unknown endpoint unless under the direction of a Physician/NP. Added a step to lay out cleansing the visible wound bed with NS moistened gauze only to avoid NS entering the non-visible wound space.
Dec 22, 2018	Product Information Sheet	Iodosorb	Revised to clearly state precaution for clients with renal impairment.
Dec 20, 2018	Learning Module	Burn Wound Module#1	New module - provides guidance on management/treatment of the burn wound.
Dec 14, 2018	Additional Education Required(AER)Guideline	AER: LPN Care of Wounds with a Non-Visible Wound Bed	New document
Nov 27, 2018	Product Information Sheet	Inadine	Revised to indicate that only one layer of the product should be used
Nov 27, 2018	Product Information Sheet	Iodosorb	Revised to indicate that filling undermining, sinuses/tunnels with the packing dressing/ ointment is to be done under the direction of a NSWOC/Wound Clinician
Nov 27, 2018	Product Information Sheet	Triad	Revised to indicate that: • filling undermining, sinuses/tunnels with the packing dressing/ ointment is to be done under the direction of a NSWOC/ Wound Clinician • product may be used to provide autolytic debridement of slough/necrotic tissue and eschar
Nov 09, 2018	Clinic Referral Form	SCI Wound Clinic Referral Form	Revised referral form
Nov 08, 2018	Product Information Sheet	No-Sting Skin Prep	Update PISheet with new photo
Oct 26, 2018	Product Information Sheet	CICA-CARE	New document
Sep 5, 2018	Product Information Sheet	Inview Extra (condom)	Updated to add link to sizing guide
Sep 5, 2018	Product Information Sheet	Inview Special (condom)	Updated to add link to sizing guide
Sep 5, 2018	Product Information Sheet	Tegaderm Matrix	Removed as product in no longer being manufactured
Sep 5, 2018	Product Information Sheet	Tielle Non-Adherent	Revised for small correction to the dressing sizes
Sep 5, 2018	Product Information Sheet	Tielle Plus	Revised for small correction to the dressing sizes
Sep 5, 2018	Product Information Sheet	Viscopaste	New document.

Aug 27, 2018	Decision Support Tool Guideline	Wound Management Guideline	Revised Wound Bed Prep DST and renamed it to Wound Management; emphasized assessing for the cause of the wound, updated the Goals of Care, revised the interventions for a more focused care.
Aug 27, 2018	Decision Support Tool Guideline Summary	Wound Management Guideline Summary	S/A
Aug 27, 2018	Documentation Flow Sheet & Guideline portrait and landscape with PSL# - for British Columbia use only	Wound Assessment & Treatment Flow Sheet (WATFS) w PSL# portrait Wound Assessment & Treatment Flow Sheet (WATFS) w PSL# portrait Documentation Guideline Wound Assessment & Treatment Flow Sheet (WATFS) w PSL# landscape Wound Assessment & Treatment Flow Sheet (WATFS) w PSL# landscape Documentation Guideline	Updated the Wound Assessment & Treatment Flow Sheet (WATFS) portrait and landscape versions: • Changed Venous to Venous Insufficiency • Changed Arterial to Arterial Insufficiency • Added IAD (Incontinence Associated Dermatitis) • Changed Pressure Ulcer to Pressure Injury • <u>Added Patient Safety Learning System number (PSL#)</u> • Update descriptors for Wound Edge • Removed Home Care Visits • Revised the Wound Treatment Plan
Aug 27, 2018	Documentation Flow Sheet & Guideline portrait and landscape without PSL#	Wound Assessment & Treatment Flow Sheet (WATFS) w/o PSL# portrait Wound Assessment & Treatment Flow Sheet (WATFS) w/o PSL# portrait Documentation Guideline Wound Assessment & Treatment Flow Sheet (WATFS) w/o PSL# landscape Wound Assessment & Treatment Flow Sheet (WATFS) w/o PSL# landscape Documentation Guideline Wound Assessment & Treatment Flow Sheet (WATFS) Treatment Plan landscape	Updated the Wound Assessment & Treatment Flow Sheet (WATFS) portrait and landscape versions: • Changed Venous to Venous Insufficiency • Changed Arterial to Arterial Insufficiency • Added IAD (Incontinence Associated Dermatitis) • Changed Pressure Ulcer to Pressure Injury • Update descriptors for Wound Edge • Removed Home Care Visits • Revised the Wound Treatment Plan both portrait and landscape versions
Aug 25, 2018	Staff Education Resource	Skin Care Protocol Poster	New document; provides an overview of the basic and advanced skin care products

Aug 25, 2018	Product Information Sheet	Secura Extra Protective Cream	Document revised to state that removal of zinc needs to be done using a one-direction wipe.
Aug 25, 2018	Product Information Sheet	Remedy Hydraguard Cream	Document revised to address its use for the neonatal population.
Aug 25, 2018	Product Information Sheet	Remedy Nourishing Cream	Document revised to address that this product is not for use for the neonatal population.
Aug 25, 2018	Product Information Sheet	Remedy No-Rinse Cleanser	Document revised to indicate its use as a rinsed cleanser for the neonatal population 32weeks to up 28 days.
Aug 19, 2018	Documentation Flow Sheet	Pre-& Post- Surgery Ostomy Flow Sheet	New document as of January 2018
Aug 19, 2018	Documentation Flow Sheet Guideline	Ostomy Flow Sheet	New document as of January 2018
Aug 19, 2018	Documentation Flow Sheet Guideline	Pre-& Post- Surgery Ostomy Flow Sheet & Ostomy Flow Sheet	New document as March 2018 revised May 2018
Jul 18, 2018	Product Information Sheet	Mepilex Border for Wound Care	New dressing design and sizes
Jul 18, 2018	Product Information Sheet	Mepilex Border for Pressure Injury Prevention	New dressing design and sizes
Jul 04, 2018	Product Information Sheet	Ag+ Powder for Skin	Arglaes name change to Ag+ Powder
Jul 04, 2018	Product Information Sheet	Ag+ Powder for Wounds	Arglaes name change to Ag+ Powder
Jun 19, 2018	Product Information Sheet	Atrac-tain	Document reviewed/revised
Jun 19, 2018	Product Information Sheet	Secura Extra Protective Cream	Document reviewed/revised.
Jun 19, 2018	Product Information Sheet	Remedy Hydraguard Cream	New document
Jun 19, 2018	Product Information Sheet	Remedy Nourishing Cream	New document
Jun 19, 2018	Product Information Sheet	Remedy No-Rinse Cleanser	New document
Mar 28, 2018	Product Information Sheet	Metra Superabsorbent	New document
Mar 14, 2018	Product Information Sheet	No Sting Skin Prep	Revised to add the statement 'do not use with Molnlycke silicone dressings'
Mar 8, 2018	Decision Support Tool Guideline	Guideline: Application of Compression Therapy	Added the links for two patient education health resources: <i>Managing Your Venous Disease</i> and <i>Compression Therapy</i>
Mar 2, 2018	Product Information Sheet	Ultrisorb AP Underpad	Added a new size of pad
Mar 2, 2018	Product Information Sheet	Triad	Re-added that paste dressing should not be used on eschar
Feb 28, 2018	Decision Support Tool Guideline	Assessment & Treatment of Pressure Injuries in Adults & Children	Major Revision

Feb 28, 2018	Decision Support Tool Guideline Summary	Assessment & Treatment of Pressure Injuries in Adults & Children	Major Revision
Feb 28, 2018	Staff Education Resource	How to Stage Pressure Injuries	New document
Feb 28, 2018	Decision Support Tool Guideline	Prevention of Pressure in Injury Adults & Children	Minor revision to include Braden Assessment Schedule
Feb 28, 2018	Decision Support Tool Procedure/Documentation	Braden Risk & Skin Assessment – Adults	Minor revision to include Braden Assessment Schedule
Feb 28, 2018	Patient Education Resource Short Version	Pressure Injury Prevention Education Fact Sheet	New document
Feb 28, 2018	Patient Education Resource Long Version	Pressure Injury Prevention Education Booklet	New document
Dec 19, 2017	Product Information Sheet	Aquacel Ag + Extra	New Product Information Sheet – Aquacel Ag + Extra is replacing Aquacel Ag Extra
Nov 30, 2017	Decision Support Tool Guideline	Prevention of Pressure in Injury Adults & Children	Major revision
Nov 30, 2017	Decision Support Tool Procedure/Documentation	Braden Risk & Skin Assessment – Adults	Major revision
Nov 30, 2017	Decision Support Tool Intervention Guide - Adult	Braden Scale Intervention Guide – Adults	Major revision
Nov 30, 2017	Decision Support Tool Intervention Guide - Children	Braden Q Intervention Guide – Children	Revision
Nov 30, 2017	Documentation Flow Sheet	Braden Risk & Skin Assessment Flow Sheet (BRSAFS)	Major Revision
Nov 30, 2017	Staff Education Resource – Poster	Braden/BradenQ Risk & Skin Assessment Schedule	New document
Nov 30, 2017	Staff Education Resource – Poster/worksheet	Braden Risk Assessment	New document
Nov 30, 2017	Staff Education Resource - Poster	Head-to-Toe Skin Assessment	New document
Nov 30, 2017	Staff Education Resource - Poster	Raise the HOB	New document
Nov 30, 2017	Staff Education Resource Video	Sitting up in Bed	New document
Nov 30, 2017	Staff Education Resource Learning module	Pressure Ulcer Prevention (Braden Scale)	New module
Nov 27, 2017	Product Information Sheet	Mepilex Border for Pressure Injury Prevention	PI Sheet updated to include both sacral and heel dressing as PIP devices; renamed to differentiate the use of this dressing from its use for wound care.
Nov 27, 2017	Product Information Sheet	Mepilex Border for Wound Care	Updated to add in sacral and heel dressings. Renamed to differentiate the use of this dressing from its use as a Pressure Injury Prevention device.
Nov 27, 2017	Product Information Sheet	Mepilex	Updated to add in sacral and heel dressings.
Oct 30, 2017	Product Information Sheet	Medihoney Antimicrobial	PI Sheet reviewed.

		Wound Gel	
Oct 30, 2017	Product Information Sheet	Medihoney Antimicrobial Medical Honey	PISheet reviewed.
Oct 30, 2017	Product Information Sheet	Skintegritty Wound Cleanser	New Product Information Sheet
Oct 18, 2017	Product Information Sheet	Tubigrip	Molnlycke has updated Tubigrip's calf measurement/product size chart
Sep 28, 2017	Product Information Sheet	Mepilex Border Post-Op	New Product Information Sheet
Sep 5, 2017	Product Information Sheet	Hypergel	Removed as product has been discontinued by the vendor.
Sep 5, 2017	Product Information Sheet	Mepilex Border Lite	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mepilex Lite	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mepilex Border	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mepilex	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Alldress	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mepilex Transfer	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mesorb	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mesalt	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mepitel One	PISheet reviewed.
Sep 5, 2017	Product Information Sheet	Mepitel	PISheet reviewed.
Aug 24, 2017	Product Information Sheet	Mepilex Border Flex	New Product Information Sheet
Aug 22, 2017	Product Information Sheet	Mepilex Transfer Ag	New Product Information Sheet
Aug 22, 2017	Product Information Sheet	Restore Contact Layer Flex	New Product Information Sheet
Aug 22, 2017	Product Information Sheet	PHMB Gauze for Skin Folds & Contractures	New Product Information Sheet
Aug 22, 2017	Product Information Sheet	PHMB Gauze for Wounds	New Product Information Sheet
Aug 22, 2017	Product Information Sheet	Biatain Ag	Revised Product Information Sheet
Aug 5, 2017	Decision Support Tool Procedure	Wound Packing	Revised to include bookmarking to allow for easier searching for specific document sections.
Aug 5, 2017	Decision Support Tool Procedure	Wound Cleansing	Revised to include bookmarking to allow for easier searching for specific document sections.
Jul 4, 2017	Product Information Sheet	PICO	Revised the PISheet to indicate that tendon and bone are not contraindicated for PICO use, need to use a contact layer interface
Feb 26, 2017	Decision Support Tool Guideline	Assessment, Prevention and Treatment of Moisture Associated Skin Damage (MASD) in Adults & Children	New document
Feb 26, 2017	Decision Support Tool Guideline Summary	Prevention and Treatment Interventions for MASD	New document
Feb 26, 2017	Product Information Sheet	Ultrisorb AP Underpad	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	Mesh Underwear	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	Comfort Day Light	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	Comfort Day Extra	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	Comfort Day Plus	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	Fecal Collector	New Product Information Sheet

Feb 26, 2017	Product Information Sheet	Flexiseal	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	InView Extra	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	InView Special	New Product Information Sheet
Feb 26, 2017	Product Information Sheet	Urinary Pouch	New Product Information Sheet
Jan 31, 2017	Product Information Sheet	Debrisoft	New Product Information Sheet
Jan 31, 2017	Decision Support Tool Procedure	Wound Cleansing	Revised to provide direction that at least 100ml of solution is needed for wound cleansing and that a sterile cotton gauze(s) is to be use to gently and firmly remove any loosened slough/debris and wick any excess solution from the wound bed.
Jan 31, 2017	Decision Support Tool Procedure	Culture & Sensitivity Swab for Potential Wound Infection	Revised to provide a link to the new Wound Infection Guideline.
Jan 31, 2017	Decision Support Tool Guideline	Assessment, Prevention and Treatment of Wound Infections	New document
Jan 31, 2017	Decision Support Tool Guideline Summary	Assessment, Prevention and Treatment of Wound Infections	New document
Jan 9 th , 2017	Education Module	Conservative Sharp Wound Debridement (CSWD) Learning Module DRAFT	Final version of this document will be posted end of May 2017.
Oct 25, 2016	Decision Support Tool Guideline	Prevention of Skin Breakdown due to Pressure, Friction/Shear and Moisture in Adults and Children October 2016	Guideline revised to bring its prevention interventions in line with the April 2016 NPUAP Guidelines, additional changes included guidance on determining turning/repositioning schedules, doing a Head-to-Toe Skin Assessment when the Braden Risk Assessment is being completed and for those clients at risk, an increased frequency for doing Braden Risk re-assessments for acute/critical care units as well as Community Care. The Braden Interventions Algorithm (Appendix B) has also been revised.
Oct 21, 2016	Decision Support Tool Guideline	Application of Compression Therapy for Venous Insufficiency and for Mixed Venous/Arterial Insufficiency	Revised to clarify that for tubular compression or over-the counter compression stockings which deliver a compression therapy of 20mm/hg or less, that a Lower Limb Assessment (Basic & Advanced) is to be done but an AB is not always required. Links to the Duke Procedure and Unna Procedure done.
Oct 21, 2016	Education Module	Application of Compression Therapy for Venous Insufficiency and for Mixed Venous/Arterial Insufficiency	Revised to reflect the above change in the guideline. Links to the Duke Procedure and Unna Procedure done.
Oct 21, 2016	Product Information Sheet	EdemaWear	Update to reflect change that ABI assessment is not always required

Oct 21, 2016	Product Information Sheet	Tubigrip	Update to reflect change that ABI assessment is not always required.
Oct 21, 2016	Decision Support Tool Procedure	Procedure: Duke Boot (with self-adherent wrap)	Procedure replaces the current PISheet. Duke Boot video linked to Procedure.
Oct 21, 2016	Decision Support Tool Procedure	Procedure: Unna Boot (without self-adherent wrap)	Procedure replaces the current PISheet. Unna Boot video linked to Procedure.
Oct 21, 2016	Product Information Sheet	Viscopaste (Duke Boot)	PISheet removed as this is now a procedure - redirect link provided.
Oct 21, 2016	Product Information Sheet	Viscopate (Unna Boot)	PISheet removed as this is now a procedure – redirect link provided.
Oct 21, 2016	Product Information Sheet	Prevalon Turn & Position System	New Product Information Sheet
Aug 01, 2016	Product Information Sheet	SkinSleeve Protector	New Product Information Sheet
July 31, 2016	Product Information Sheet	Safe Boot II	New Product Information Sheet
Jul 31, 2016	Product Information Sheet	SecureSleeves	New Product Information Sheet
Jul 31, 2016	Product Information Sheet	Waffle FootHold Boot	New Product Information Sheet
Jul 31, 2016	Product Information Sheet	Waffle FootHold Plus Boot	New Product Information Sheet
Jul 31, 2016	Decision Support Tool	Guideline: Prevention of Skin Breakdown due to Pressure, Friction/Shear and Moisture in Adults & Children	Major guideline revision
Jun 13, 2016	eLearning Module	Pressure Ulcer Prevention	New module
May 16, 2016	Decision Support Tool	Guideline: Assessment, Prevention & Treatment of Skin Tears	New document
May 16, 2016	Decision Support Tool	Guideline Summary: Skin Tears	New document
May 16, 2016	Product Information Sheet	Steri-Strips for Type 1 Skin Tears	Updated to reflect the change in classification of Skin Tears from Categories to Types
Apr 14, 2016	Product Information Sheet	Marathon	New Product Information Sheet
Apr 01, 2016	Product Information Sheet	Mepilex Border Sacrum for PUP	New Product Information Sheet
Apr 01, 2016	Product Information Sheet	Body Support	New Product Information Sheet
Mar 27, 2016	Product Information Sheet	InterDry Ag	Updated: added a statement that although sheets are perforated, the sheets may be cut in whichever direction would fit best for the skin fold.
Mar 27, 2016	Product Information Sheet	Ventopedic Heel and Ankle Offloading Boot	New Product Information Sheet
Mar 27, 2016	Product Information Sheet	No-Slip Wedge Positioning Cushion	New Product Information Sheet
Mar 27, 2016	Product Information Sheet	Tubipad	New Product Information Sheet
Mar 27, 2016	Product Information Sheet	Heel/Elbow Protector	New Product Information Sheet
Mar 27, 2016	Product Information Sheet	DermaSaver Skin Sleeve	New Product Information Sheet
Mar 27, 2016	Product Information Sheet	Waffle Foot	Title renamed from 'Waffle Boot' to 'Waffle Foot'; category renamed to "Heel Suspension: Support

Dec 14, 2015	Product Information Sheet	HeelZup with Thigh Support	Category renamed to “Heel Suspension: Support
Dec 14, 2015	Product Information Sheet	Heelzup Supreme	Category renamed to “Heel Suspension: Support
Dec 14, 2015	Product Information Sheet	HeelZup Cloud	Category renamed to “Heel Suspension: Support
Dec 14, 2015	Product Information Sheet	HeelZup	Category renamed to “Heel Suspension: Support
Dec 14, 2015	Product Information Sheet	LTC Heel Lift Wedge	Category renamed to “Heel Suspension: Support
Dec 14, 2015	Product Information Sheet	Prevent Wedge	Category renamed to “Heel Suspension: Support
Dec 14, 2015	Product Information Sheet	Prevalon Heel Protector Boot	Category renamed to “Heel Suspension: Boot
Dec 14, 2015	Product Information Sheet	PRO-Heelx Heel Protector	New Product Information Sheet
Dec 14, 2015	Product Information Sheet	Ventopedic Heel Elevation Boot w Butterfly Lift	New Product Information Sheet
Dec 14, 2015	Product Information Sheet	Tru-Clear Contracture Boot	New Product Information Sheet
Jun 28, 2015	Decision Support Tool	Wound Cleansing Procedure	Revised procedure to reflect changes made in Wound Bed Preparation Guideline regarding appropriately saving unused dressing pieces.
Jun 28, 2015	Decision Support Tool	Wound Packing Procedure	Revised procedure to reflect changes made in Wound Bed Preparation Guideline regarding appropriately saving unused dressing pieces.
Jun 28, 2015	Decision Support Tool	Swab for C&S in Suspected Wound Infection Procedure	New procedure.
Jun 19, 2015	Decision Support Tool	Wound Bed Preparation	Clarified points to consider when making a decision to save dressing pieces. Added a footer statement indicating that expert consensus (PNSWC and Provincial Infection Control) was used to develop the saving dressing pieces process as there is no literature to support or refute this practice.
Jun 19, 2015	Product Information Sheet	Iodosorb	Health Canada indicates that Iodosorb is shown to disrupt and eradicate biofilm
Jun 19, 2015	Product Information Sheet	OASIS	Change of vendor name from Healthpoint to Smith & Nephew
Jun 19, 2015	Product Information Sheet	Santyl	Change of vendor name from Healthpoint to Smith & Nephew
Jun 19, 2015	Product Information Sheet	NU-DERM Alginate	Change of vendor name from Systagenix to KCI
Jun 19, 2015	Product Information Sheet	NU-DERM Hydrocolloid	Change of vendor name from Systagenix to KCI
Jun 19, 2015	Product Information Sheet	Prisma	Change of vendor name from Systagenix to KCI

Jun 19, 2015	Product Information Sheet	Promogran	Change of vendor name from Systagenix to KCI
Jun 19, 2015	Product Information Sheet	Silvercel Non-Adherent	Change of vendor name from Systagenix to KCI
Jun 19, 2015	Product Information Sheet	Tielle	Change of vendor name from Systagenix to KCI
Jun 19, 2015	Product Information Sheet	Heelzap Cloud	Revised to provide clarity regarding daily care
Jun 05, 2015	Product Information Sheet	Heelzap w Thigh Support	Revised to provide clarity regarding daily care
Jun 05, 2015	Product Information Sheet	Heelzap	Revised to provide clarity regarding daily care
Jun 05, 2015	Product Information Sheet	LTC Heel Lift Wedge	New Product Information Sheet
Jun 05, 2015	Product Information Sheet	Prevent Wedge	New Product Information Sheet
Jun 05, 2015	Product Information Sheet	Heelzap Supreme	New Product Information Sheet
Jan 02, 2015	Product Information Sheet	Skin IQ Micro Manager	New Product Information Sheet
Jan 02, 2015	Product Information Sheet	Carbonet	Document revised to accurately reflect the sizes and application of this product.
Dec 13, 2014	Decision Support Tool	Guideline: Maggot Debridement Therapy (MDT) in Adults & Children	Revised to add a statement regarding removing the maggot dressing in the event of the client's death
Dec 13, 2014	Decision Support Tool	Procedure: Maggot Debridement Therapy (MDT) in Adults & Children	Revised to add a statement regarding removing the maggot dressing in the event of the client's death Added definition for aseptic technique and update the first 9 procedure steps to bring this document in line with the Wound Cleansing DST
Dec 13, 2014	Product Information Sheet	HeelZup with Thigh Support	Revised to added new sections: Daily Care and Cleansing the Device
Dec 13, 2014	Product Information Sheet	HeelZup Cloud	New document
Dec 13, 2014	Product Information Sheet	HeelZup	New document
Dec 13, 2014	Product Information Sheet	Aquacel Ag Extra for Wounds	Revised to remove Viscopaste from the contraindication statement of not using silver products with oil-based products based on updated Smith&Nephew information.
Dec 13, 2014	Product Information Sheet	Aquacel Ag Extra for Burns	Revised to remove Viscopaste from the contraindication statement of not using silver products with oil-based products based on updated Smith&Nephew information.
Dec 08, 2014	Product Information Sheet	Triad	Revised to clarify the amount of product to use in the wound and on the peri-wound skin

Dec 08, 2014	Product Information Sheet	Waffle Foot	Previous Waffle Boot PISheet renamed to Waffle Foot and new sections added: Daily Care and Cleansing the Device
Dec 08, 2014	Product Information Sheet	Tubigrip - Lower Leg Application	Added new size - J
Dec 08, 2014	Documentation	Braden Risk Assessment & Interventions Flow Sheet Braden Risk Assessment & Interventions Flow Sheet Documentation Guideline	Revised to provide a standard approach as to when to refer to OT/PT/Wound Clinician; as well as clarified the interventions. Revised to reflect the changes to the Flow Sheet.
Dec 08, 2014	Algorithm	Braden Scale Interventions: Algorithm	Revised to include new schedule for reassessment on Pediatric units
Dec 08, 2014	Decision Support Tool	Braden Scale for Predicting Pressure Ulcer Risk in Adults and Children/Infants: Guideline	Document revised to reflect update information related to Pediatrics – removed Modified Braden Q reference – now using Braden Q; updated Braden Q reassessment schedule
Dec 08, 2014	Decision Support Tool	Prevention of Skin Breakdown due to Pressure, Friction/Shear and Moisture in Adults & Children/Infants: Guideline	Document revised to remove Modified Braden Q reference
Dec 08, 2014	Decision Support Tool	Pressure Ulcer Assessment and Treatment Guideline Summary	Updated the document's date to keep it in-line with the guideline
Dec 08, 2014	Decision Support Tool	Assessment and Treatment of Pressure Ulcers in Adults & Children: Guideline	Document's definitions of no-touch and clean aseptic technique revised to include direction regarding saving dressing pieces
Dec 06, 2014	Decision Support Tool	Wound Bed Preparation: Guideline	Document's <i>Strategies for Prevention and Treatment of Infections</i> section revised to provide clarification of when dressing pieces could be saved. Definitions of no-touch and clean aseptic technique revised to include direction regarding saving dressing pieces
Dec 06, 2014	Guideline Summary	Wound Bed Preparation Guideline Summary	Revised the date to November in keeping with the guideline.
Dec 06, 2014	Decision Support Tool	Wound Packing: Procedure	Revised to reflected the changes made to the when dressing pieces could be saved. Aseptic Technique definitions changes to match those in the Wound Bed Prep Guideline.

Dec 06, 2014	Decision Support Tool	Wound Cleansing Procedure	Aseptic Technique definitions changes to match those in the Wound Bed Prep Guideline.
Sep 23, 2014	Product Information Sheet	Pico	Revised to remove the 2cm depth limitation – clarification added that wound depth needs to be appropriately filled to ensure proper healing of the wound.
Sep 23, 2014	Decision Support Tool	Lower Limb Ulcer Venous Arterial Mixed Assessment and Treatment Guideline	Reposted with correct document date
Sep 20, 2014	Guideline Summary	Wound Bed Preparation Guideline Summary	New document.
Sep 20, 2014	Decision Support Tool	Wound Bed Preparation: Guideline	New document.
Sep 20, 2014	Decision Support Tool	Wound Cleansing Procedure	Revised to clarify procedure regarding preparing and setting up aseptic field as well as added a process for saving unused dressing pieces.
Sep 20, 2014	Product Information Sheet	Povidone Iodine for Wound Care	Revised to add contraindications of not using iodine with silver products or Santyl
Sep 14, 2014	Learning Module	Ankle Brachial Index Learning Module	Corrected the Answer Key question #3 to read correct answer is ‘a) 1, 2 & 4’ not ‘c) 1 ,2 & 4’ Provided the correct link to the Lower Leg Assessment and Treatment Guideline
Sep 14, 2014	Guideline Summary	Pressure Ulcer Assessment and Treatment Guideline Summary	Added the following statement in the Wound Management section: ‘For dry heel ulcers, maintain eschar / protect wound with antiseptic solution & dry dressing’ (similar to the wording on the Lower Leg Arterial Guideline Summary
Sep 03, 2014	Documentation	Lower Limb Assessment Flow Sheet (LLAFS) Lower Limb Assessment Flow Sheet (LLAFS) Documentation Guideline paper version Lower Limb Assessment Flow Sheet (LLAFS) Documentation Guideline paper & Pixalere version	New documentation flow sheet and guidelines for both basic and advanced assessment of the lower limb; there are two guidelines; one to be used for those Health Authorities using just a paper LLASF and one for those Health Authorities which use both paper and Pixalere.
Aug 26, 2014	Product Info Sheet	Acticoat Flex for Burns	Revised to add Viscopaste to remove the contraindication statement of not using silver nanocrystalline products with oil-based product based on updated Smith&Nephew information.

Aug 26, 2014	Product Info Sheet	Acticoat Flex for Wounds	Revised to remove Viscopaste from the contraindication statement of not using silver nanocrystalline products with oil-based products based on updated Smith&Nephew information.
Aug 26, 2014	Product Info Sheet	Acticoat for Burns	Revised to remove Viscopaste from the contraindication statement of not using silver nanocrystalline products with oil-based products based on updated Smith&Nephew information.
Aug 26, 2014	Product Info Sheet	Acticoat for Wounds	Revised to remove Viscopaste from the contraindication statement of not using silver nanocrystalline products with oil-based products based on updated Smith&Nephew information.
Aug 26, 2014	Decision Support Tool	Assessment & Treatment of Lower Limb Ulcers (Arterial, Venous & Mixed) in Adults: Guideline	Revised to ensure alignment with the ABI procedure DSTs.
Aug 26, 2014	Decision Support Tool	Wound Packing: Procedure	Revised to provided direction to count all packing inserted/removed for any undermining, sinus or wound depth greater that 1cm (>1cm).
Aug 25, 2014	Decision Support Tool	Assessment and Treatment of Pressure Ulcers in Adults & Children: Guideline	Revised to ensure that preventative interventions matched those laid out in the Prevention Guideline
Aug 25 2014	Algorithm	Braden Scale Interventions: Algorithm	Updated the Reassessment schedule for ICU/CCU to at least every 48hrs Added schedule for Psychiatry and Pediatrics. Added interventions for the OR (sensory and moisture sub-scales).
Aug 25, 2014	Decision Support Tool	Braden Scale for Predicting Pressure Ulcer Risk in Adults and Children/Infants: Guideline	Updated the Reassessment schedule for ICU/CCU to at least every 48hrs Added schedule for Psychiatry and Pediatrics. Added interventions for the OR (sensory and moisture sub-scales).
Aug 25, 2014	Decision Support Tool	Prevention of Skin Breakdown due to Pressure, Friction/Shear and Moisture in Adults & Children/Infants: Guideline	Updated the Reassessment schedule for ICU/CCU to at least every 48hrs Added schedule for Psychiatry and Pediatrics. Added interventions for the OR (sensory and moisture sub-scales).
Aug 25, 2014	Documentation	Braden Risk Assessment & Interventions Flow Sheet	Braden Risk Assessment & Interventions Flow Sheet revisions:

		Braden Risk Assessment & Interventions Flow Sheet Documentation Guideline	Page 1: removed the direction to staff to lower the Braden Score is additional risk factors present; direction now states to consider that clients with these additional risk factor may be at a higher risk for developing a pressure ulcer. Page 3 Algorithm: Updated the Reassessment schedule for ICU/CCU to at least every 48hrs Added schedule for Psychiatry and Pediatrics. Added interventions for the OR (sensory and moisture sub-scales).
Aug 25, 2014	Documentation	Wound Assessment & Treatment Flow Sheet (portrait) Wound Assessment & Treatment Flow Sheet (portrait) Documentation Guideline Wound Assessment & Treatment Flow Sheet (landscape) Wound Assessment & Treatment Flow Sheet (landscape) Documentation Guideline	Wound Assessment & Treatment Flow Sheet (WATFS) revisions: Flow Sheet and Guideline Goals of Care revised: To Maintain/Non-healable → To Maintain To Maintain/Palliative → To Monitor/Manage Added Guideline clarification re staging Stage X or SDTI once these ulcers are declared. Revised Flow Sheet and Guideline Packing Count to provided direction to count all packing inserted/removed for any undermining, sinus or wound depth greater than 1cm.
Aug 22, 2014			Added new Folder for Provincial Referral Forms
Aug 1, 2014	Product Info Sheet	Hydrofera Blue – Tube	New product.
Aug 1, 2014	Product Info Sheet	Hydrofera Blue – Heavy Drainage	New product.
Aug 1, 2014	Product Info Sheet	Hydrofera Blue - Standard	New product.
Aug 1, 2014	Product Info Sheet	PHMB Foam Dressing	New product.
Aug 1, 2014	Product Info Sheet	PHMB Foam Dressing with Border	New product.
Aug 1, 2014	Product Info Sheet	PHMB Foam Dressing with Topsheet	New product.
Aug 1, 2014	Product Info Sheet	Renasys Adhesive Gel Patch	New product.
Aug 1, 2014	Product Info Sheet	Restore Silver Contact Layer	Revised to clarify the application of the product.
Aug 1, 2014	Product Info Sheet	PICO	Revised to clarify that the PICO dressing must be removed prior to MRI or hyperbaric treatment and then be reapplied.
Aug 1, 2014	Product Info Sheet	Triad	Revised to add that product can be used to debride eschar. Clarified the process for removing the paste.

Jul 7, 2014	Product Info Sheet	Prevena	New product.
May 19, 2014	Product Info Sheet	Aquacel Extra	New product.
May 19, 2014	Product Info Sheet	Aquacel Ag Extra for Burns	New product.
May 19, 2014	Product Info Sheet	Aquacel Ag Extra for Wounds	New product.
May 19, 2014	Product Info Sheet	Acticoat Flex for Burns	Revised to add Viscopaste to the contraindication statement of not using silver nanocrystalline products with oil-based products.
May 19, 2014	Product Info Sheet	Acticoat Flex for Wounds	Revised to add Viscopaste to the contraindication statement of not using silver nanocrystalline products with oil-based products.
May 19, 2014	Product Info Sheet	Acticoat for Burns	Revised to add Viscopaste to the contraindication statement of not using silver nanocrystalline products with oil-based products.
May 19, 2014	Product Info Sheet	Acticoat for Wounds	Revised to add Viscopaste to the contraindication statement of not using silver nanocrystalline products with oil-based products.
May 19, 2014	Product Info Sheet	Triad	Revised to add statement that, is soiled with urine or feces that the top layer of Triad can be cleansed and a new layer of Triad applied.
May 19, 2014	Product Info Sheet	Prontosan Wound Irrigation Solution	Revised to add a contraindication of not to use silver products with Prontosan.
Apr 22, 2014	Product Info Sheet	Secura Skin Cleanser	Clarified the bed-bath and perineal cleansing process for applying an appropriate amount of cleanser to a moistened warm washcloth.
Mar 30, 2014	Product Info Sheet	PICO	Revised steps such that dressing is applied and NPWT is turned on; if no leaks then 'window-pane' the transparent dressing; if leak present, lift dressing up and reapply, turn pump on and re-check for leaks.
Sep 05, 2013	Product Info Sheet	PICO	New posting.
Jul 07, 2013	Product Info Sheet	Santyl	Clarified not to use Santyl with iodine, silver or PHMB dressings/products. Clarified using a dampened Normal Saline gauze to activate Santyl when used on a wound with minimal exudate. Provide guidance on the amount of Santyl that should be used based on the wound size.

Jul 02, 2013	Learning Module	ABI Procedure for Adults for Handheld Doppler & Automatic ABI System	New posting (click on the Document title and save it to your computer).
Jul 02, 2013	Decision Support Tool	Procedure ABI for Adults using a Handheld Doppler	Clarified name of procedure as using a handheld doppler. Revised the frequency of ABI reassessment from one year to, as part of a comprehensive lower leg assessment, every six months for clients with a lower leg wound (goal to heal); for clients using compression therapy and for those clients who are experiencing increasing pain (not relate to infection) and/or other S&S of arterial compromise.
Jul 02, 2013	Decision Support Tool	Procedure ABI for Adults using an Automatic ABI System	New posting.
Jun 28, 2013	Product Info Sheet	Silver Nitrate (AgNO3) for Wound Care	Added to Application Directions, "Moisten tip with sterile water."
Jun 28, 2013	Product Info Sheet	Aquacel	Changed the amount of dressing overlap onto the peri-wound skin from 5cm to 1cm as per vendor information.
Jun 28, 2013	Product Info Sheet	Medihoney Apinate	Corrected the spelling of the product name.
Jun 28, 2013	Product Info Sheet	Viscopaste (Duke Boot)	Correction made to the Application Directions: "Proceed up the leg and stop at 2 fingers width below the knee, using a 50% overlap and a (100%) 50% stretch of the compression wrap.
Jun 28, 2013	Product Info Sheet	Allevyn Life	New posting.
Jun 28, 2013	Product Info Sheet	Prontosan Wound Irrigation Solution	New posting.
Jun 28, 2012	Product Info Sheet	Surgigrip	Removed.
Feb 26, 2013	Product Info Sheet	Aquacel Ag for Wounds	Changed the amount of dressing overlap onto the peri-wound skin from 5cm to 1cm as per vendor information.
Feb 26, 2013	Product Info Sheet	Gelfoam for Wound Care	New posting.
Feb 26, 2013	Product Info Sheet	InterDry Ag	Added for clarification, the indication of 'For moisture management of denuded skin.' Reword for clarification, the contraindication regarding use of this product for wounds now reads: "Do no use for wounds".
Feb 26, 2013	Product Info Sheet	Mepitel	Added for the Contraindication section; "Do not use with skin sealant/barrier".

			Revised for spelling and clarity, the statement "Reposition the contact layer at least every second day when used for burns treated with meshed grafts or after facial resurfacing".
Feb 26, 2013	Product Info Sheet	Mepitel One	Added following statement to Frequency of Dressing Change section "Reposition the contact layer at least every second day when used for burns treated with meshed grafts or after facial resurfacing".
Feb 26, 2013	Product Info Sheet	No Sting Skin Prep	Clarified the Frequency of Reapplication section.
Feb 26, 2013	Product Info Sheet	Santyl	Revised the amount of Santyl to be applied to wound bed from '3mm' to '2mm' as per vendor information.
Feb 26, 2013	Product Info Sheet	Tegaderm Absorbent Clear Acrylic	Added to the To Apply section, "For wounds with moderate amount of exudate, apply a hydrofibre/calcium alginate to the wound bed."